

SUPPORT GUIDE FOR CHEMISTRY 1 SOUTH CAROLINA ACADEMIC STANDARDS AND PERFORMANCE INDICATORS FOR SCIENCE



**Molly M. Spearman
State Superintendent of Education**

**South Carolina Department of Education
Columbia, South Carolina**




Table of Contents

Chemistry 1 Standards

Introduction.....	3
Standards.....	9

Crosswalks

Acknowledgements.....	16
Introduction.....	17
Chart.....	18

Content Support Guide

Acknowledgements.....	36
Introduction.....	37
H.C.2 – Atomic Structure and Nuclear Processes	38
H.C.3 – Bonding and Chemical Formulas	46
H.C.4. – States of Matter	56
H.C.5. – Solutions, Acids, and Bases	61
H.C.6. – Chemical Reactions.....	65
H.C.7. – Thermochemistry and Chemical Kinetics	71

INTRODUCTION TO CHEMISTRY 1 STANDARDS


Science is a way of understanding the physical universe using observation and experimentation to explain natural phenomena. Science also refers to an organized body of knowledge that includes core ideas to the disciplines and common themes that bridge the disciplines. This document, *South Carolina Academic Standards and Performance Indicators for Science*, contains the academic standards in science for the state's students in kindergarten through grade twelve.

ACADEMIC STANDARDS

In accordance with the South Carolina Education Accountability Act of 1998 (S.C. Code Ann. § 59-18-110), the purpose of academic standards is to provide the basis for the development of local curricula and statewide assessment. Consensually developed academic standards describe for each grade and high school core area the specific areas of student learning that are considered the most important for proficiency in the discipline at the particular level.

Operating procedures for the review and revision of all South Carolina academic standards were jointly developed by staff at the State Department of Education (SCDE) and the Education Oversight Committee (EOC). According to these procedures, a field review of the first draft of the revised South Carolina science standards was conducted from March through May 2013. Feedback from that review and input from the SCDE and EOC review panels was considered and used to develop these standards.

The academic standards in this document are not sequenced for instruction and do not prescribe classroom activities; materials; or instructional strategies, approaches, or practices. The *South Carolina Academic Standards and Performance Indicators for Science* is not a curriculum.



THE PROFILE OF THE SOUTH CAROLINA GRADUATE

The 2014 *South Carolina Academic Standards and Performance Indicators for Science* support the *Profile of the South Carolina Graduate*. The *Profile of the South Carolina Graduate* has been adopted and approved by the South Carolina Association of School Administrators (SCASA), the South Carolina Chamber of Commerce, the South Carolina Council on Competitiveness, the Education Oversight Committee (EOC), the State Board of Education (SBE), and the South Carolina Department of Education (SCDE) in an effort to identify the knowledge, skills, and characteristics a high school graduate should possess in order to be prepared for success as they enter college or pursue a career. The profile is intended to guide all that is done in support of college- and career-readiness.

Profile of the South Carolina Graduate



World Class Knowledge

- Rigorous standards in language arts and math for career and college readiness
- Multiple languages, science, technology, engineering, mathematics (STEM), arts and social sciences

World Class Skills

- Creativity and innovation
- Critical thinking and problem solving
- Collaboration and teamwork
- Communication, information, media and technology
- Knowing how to learn

Life and Career Characteristics

- Integrity
- Self-direction
- Global perspective
- Perseverance
- Work ethic
- Interpersonal skills


Approved by SCASA Superintendent's Roundtable and SC Chamber of Commerce.



SCIENCE STANDARDS TIMELINE

This timeline is used to illustrate the timeline for the standards revisions process, student assessment administration, provision of professional learning and the review and adoption of instructional materials. This timeline may be used with the science academic standards, science and engineering support document, and grade/content support documents to assist local districts, schools and teachers as they construct standards-based science curriculum, allowing them to add or expand topics they feel are important and to organize content to fit their students' needs and match available instructional materials.

The timeline in this document does not offer a sequence for instruction and do not prescribe classroom activities; materials; or instructional strategies, approaches, or practices. The *Science Standards Timeline*, is not a curriculum.



CROSSCUTTING CONCEPTS

Seven common threads or themes are presented in *A Framework for K-12 Science Education* (2012). These concepts connect knowledge across the science disciplines (biology, chemistry, physics, earth and space science) and have value to both scientists and engineers because they identify universal properties and processes found in all disciplines. These crosscutting concepts are:

1. Patterns
2. Cause and Effect: Mechanism and Explanation
3. Scale, Proportion, and Quantity
4. Systems and System Models
5. Energy and Matter: Flows, Cycles, and Conservation
6. Structure and Function
7. Stability and Change

These concepts should not be taught in isolation but reinforced in the context of instruction within the core science content for each grade level or course.

SCIENCE AND ENGINEERING PRACTICES

In addition to the academic standards, each grade level or high school course explicitly identifies *Science and Engineering Practice* standards, with indicators that are differentiated across grade levels and core areas. The term “practice” is used instead of the term “skill,” to emphasize that scientists and engineers use skill and knowledge simultaneously, not in isolation. These eight science and engineering practices are:

1. Ask questions and define problems
2. Develop and use models
3. Plan and conduct investigations
4. Analyze and interpret data
5. Use mathematical and computational thinking
6. Construct explanations and design solutions
7. Engage in scientific argument from evidence
8. Obtain, evaluate, and communicate information

Students should engage in scientific and engineering practices as a means to learn about the specific topics identified for their grade levels and courses. It is critical that educators understand that the Science and Engineering Practices are *not* to be taught in isolation. There should *not* be a distinct “Inquiry” unit at the beginning of each school year. Rather, the practices need to be employed *within the content* for each grade level or course.

Additionally, an important component of all scientists and engineers’ work is communicating their results both by informal and formal speaking and listening, and formal reading and writing. Speaking, listening, reading and writing is important not only for the purpose of sharing results, but because during the processes of reading, speaking, listening and writing, scientists and engineers continue to construct their own knowledge and understanding of meaning and implications of their research. Knowing how one’s results connect to previous results and what those connections reveal about the underlying principles is an important part of the scientific

discovery process. Therefore, students should similarly be reading, writing, speaking and listening throughout the scientific processes in which they engage.

For additional information regarding the development, use and assessment of the *2014 Academic Standards and Performance Indicators for Science* please see the official document that is posted on the SCDE science web page--- <http://tinyurl.com/2014SCScience>.

DECIPHERING THE STANDARDS

KINDERGARTEN

LIFE SCIENCE: EXPLORING ORGANISMS AND THE ENVIRONMENT

Standard K.L.2: The student will demonstrate an understanding of organisms found in the environment and how these organisms depend on the environment to meet those needs.

K.L.2A. Conceptual Understanding: The environment consists of many types of organisms including plants, animals, and fungi. Organisms depend on the land, water, and air to live and grow. Plants need water and light to make their own food. Fungi and animals cannot make their own food and get energy from other sources. Animals (including humans) use different body parts to obtain food and other resources needed to grow and survive. Organisms live in areas where their needs for air, water, nutrients, and shelter are met.

Performance Indicators: Students who demonstrate this understanding can:

K.L.2A.1 Obtain information to answer questions about different organisms found in the environment (such as plants, animals, or fungi).

K.L.2A.2 Conduct structured investigations to determine what plants need to live and grow (including water and light).

Figure 1: Example from the Kindergarten Standards

The code assigned to each performance indicator within the standards is designed to provide information about the content of the indicator. For example, the **K.L.2A.1** indicator decodes as the following--

- **K: The first part of each indicator denotes the grade or subject.** The example indicator is from Kindergarten. The key for grade levels are as follows—


K: Kindergarten	7: Seventh Grade
1: First Grade	8: Eighth Grade
2: Second Grade	H.B: High School Biology 1
3: Third Grade	H.C: High School Chemistry 1
4: Fourth Grade	H.P: High School Physics 1
5: Fifth Grade	H.E: High School Earth Science
6: Sixth Grade	

- L: After the grade or subject, the content area is denoted by an uppercase letter.** The L in the example indicator means that the content covers Life Science. The key for content areas are as follows—
 - E: Earth Science
 - EC: Ecology
 - L: Life Science
 - P: Physical Science
 - S: Science and Engineering Practices
- 2: The number following the content area denotes the specific academic standard.** In the example, the 2 in the indicator means that it is within the second academic standard with the Kindergarten science content.
- A: After the specific content standard, the conceptual understanding is denoted by an uppercase letter.** The conceptual understanding is a statement of the core idea for which students should demonstrate understanding. There may be more than one conceptual understanding per academic standard. The A in the example means that this is the first conceptual understanding for the standard. Additionally, the conceptual understandings are novel to the *2014 South Carolina Academic Standards and Performance Indicators for Science*.
- 1: The last part of the code denotes the number of the specific performance indicator.** Performance indicators are statements of what students can do to demonstrate knowledge of the conceptual understanding. The example discussed is the first performance indicator within the conceptual understanding.

CORE AREAS OF CHEMISTRY 1

The six core areas of the Chemistry 1 standards include:

- Atomic Structure and Nuclear Processes
- Bonding and Chemical Formulas
- States of Matter
- Solutions, Acids, and Bases
- Chemical Reactions
- Thermochemistry and Chemical Kinetics



CHEMISTRY 1

SCIENCE AND ENGINEERING PRACTICES

NOTE: Scientific investigations should always be done in the context of content knowledge expected in this course. The standard describes how students should learn and demonstrate knowledge of the content outlined in the other standards.

Standard H.C.1: The student will use the science and engineering practices, including the processes and skills of scientific inquiry, to develop understandings of science content.

H.C.1A. Conceptual Understanding: The practices of science and engineering support the development of science concepts, develop the habits of mind that are necessary for scientific thinking, and allow students to engage in science in ways that are similar to those used by scientists and engineers.

Performance Indicators: Students who demonstrate this understanding can:

- H.C.1A.1** Ask questions to (1) generate hypotheses for scientific investigations, (2) refine models, explanations, or designs, or (3) extend the results of investigations or challenge scientific arguments or claims.
- H.C.1A.2** Develop, use, and refine models to (1) understand or represent phenomena, processes, and relationships, (2) test devices or solutions, or (3) communicate ideas to others.
- H.C.1A.3** Plan and conduct controlled scientific investigations to answer questions, test hypotheses, and develop explanations: (1) formulate scientific questions and testable hypotheses based on credible scientific information, (2) identify materials, procedures, and variables, (3) use appropriate laboratory equipment, technology, and techniques to collect qualitative and quantitative data, and (4) record and represent data in an appropriate form. Use appropriate safety procedures.
- H.C.1A.4** Analyze and interpret data from informational texts and data collected from investigations using a range of methods (such as tabulation, graphing, or statistical analysis) to (1) reveal patterns and construct meaning, (2) support or refute hypotheses, explanations, claims, or designs, or (3) evaluate the strength of conclusions.
- H.C.1A.5** Use mathematical and computational thinking to (1) use and manipulate appropriate metric units, (2) express relationships between variables for models and investigations, and (3) use grade-level appropriate statistics to analyze data.
- H.C.1A.6** Construct explanations of phenomena using (1) primary or secondary scientific evidence and models, (2) conclusions from scientific investigations, (3) predictions based on observations and measurements, or (4) data communicated in graphs, tables, or diagrams.
- H.C.1A.7** Construct and analyze scientific arguments to support claims, explanations, or designs using evidence and valid reasoning from observations, data, or informational texts.

SCIENCE AND ENGINEERING PRACTICES (*CONTINUED*)

H.C.1A.8 Obtain and evaluate scientific information to (1) answer questions, (2) explain or describe phenomena, (3) develop models, (4) evaluate hypotheses, explanations, claims, or designs or (5) identify and/or fill gaps in knowledge. Communicate using the conventions and expectations of scientific writing or oral presentations by (1) evaluating grade-appropriate primary or secondary scientific literature, or (2) reporting the results of student experimental investigations.

H.C.1B. Conceptual Understanding: Technology is any modification to the natural world created to fulfill the wants and needs of humans. The engineering design process involves a series of iterative steps used to solve a problem and often leads to the development of a new or improved technology.

Performance Indicators: Students who demonstrate this understanding can:

H.C.1B.1 Construct devices or design solutions using scientific knowledge to solve specific problems or needs: (1) ask questions to identify problems or needs, (2) ask questions about the criteria and constraints of the device or solutions, (3) generate and communicate ideas for possible devices or solutions, (4) build and test devices or solutions, (5) determine if the devices or solutions solved the problem and refine the design if needed, and (6) communicate the results.

ATOMIC STRUCTURE AND NUCLEAR PROCESSES

Standard H.C.2: The student will demonstrate an understanding of atomic structure and nuclear processes.

H.C.2A. Conceptual Understanding: The existence of atoms can be used to explain the structure and behavior of matter. Each atom consists of a charged nucleus, consisting of protons and neutrons, surrounded by electrons. The interactions of these electrons between and within atoms are the primary factors that determine the chemical properties of matter. In a neutral atom the number of protons is the same as the number of electrons.

Performance Indicators: Students who demonstrate this understanding can:

H.C.2A.1 Obtain and communicate information to describe and compare subatomic particles with regard to mass, location, charge, electrical attractions and repulsions, and impact on the properties of an atom.

H.C.2A.2 Use the Bohr and quantum mechanical models of atomic structure to exemplify how electrons are distributed in atoms.

H.C.2A.3 Analyze and interpret absorption and emission spectra to support explanations that electrons have discrete energy levels.

H.C.2B. Conceptual Understanding: In nuclear fusion, lighter nuclei combine to form more stable heavier nuclei and in nuclear fission heavier nuclei are split to form lighter nuclei. The energies in fission and fusion reactions exceed the energies in usual chemical reactions.

ATOMIC STRUCTURE AND NUCLEAR PROCESSES (*CONTINUED*)

Performance Indicators: Students who demonstrate this understanding can:

- H.C.2B.1** Obtain and communicate information to compare alpha, beta, and gamma radiation in terms of mass, charge, penetrating power, and their practical applications (including medical benefits and associated risks).
- H.C.2B.2** Develop models to exemplify radioactive decay and use the models to explain the concept of half-life and its use in determining the age of materials (such as radiocarbon dating or the use of radioisotopes to date rocks).
- H.C.2B.3** Obtain and communicate information to compare and contrast nuclear fission and nuclear fusion and to explain why the ability to produce low energy nuclear reactions would be a scientific breakthrough.
- H.C.2B.4** Use mathematical and computational thinking to explain the relationship between mass and energy in nuclear reactions ($E=mc^2$).

BONDING AND CHEMICAL FORMULAS

Standard H.C.3: The student will demonstrate an understanding of the structures and classification of chemical compounds.

H.C.3A. Conceptual Understanding: Elements are made up of only one kind of atom. With increasing atomic number, a predictable pattern for the addition of electrons exists. This pattern is the basis for the arrangement of elements in the periodic table. The chemical properties of an element are determined by an element's electron configuration. Elements can react to form chemical compounds/molecules that have unique properties determined by the kinds of atoms combined to make up the compound/molecule. Essentially, the ways in which electrons are involved in bonds determines whether ionic or covalent bonds are formed. Compounds have characteristic shapes that are determined by the type and number of bonds formed.

Performance Indicators: Students who demonstrate this understanding can:

- H.C.3A.1** Construct explanations for the formation of molecular compounds via sharing of electrons and for the formation of ionic compounds via transfer of electrons.
- H.C.3A.2** Use the periodic table to write and interpret the formulas and names of chemical compounds (including binary ionic compounds, binary covalent compounds, and straight-chain alkanes up to six carbons).
- H.C.3A.3** Analyze and interpret data to predict the type of bonding (ionic or covalent) and the shape of simple compounds by using the Lewis dot structures and oxidation numbers.
- H.C.3A.4** Plan and conduct controlled scientific investigations to generate data on the properties of substances and analyze the data to infer the types of bonds (including ionic, polar covalent, and nonpolar covalent) in simple compounds.

BONDING AND CHEMICAL FORMULAS (*CONTINUED*)

- H.C.3A.5** Develop and use models (such as Lewis dot structures, structural formulas, or ball-and-stick models) of simple hydrocarbons to exemplify structural isomerism.
- H.C.3A.6** Construct explanations of how the basic structure of common natural and synthetic polymers is related to their bulk properties.
- H.C.3A.7** Analyze and interpret data to determine the empirical formula of a compound and the percent composition of a compound.

STATES OF MATTER

Standard H.C.4: The student will demonstrate an understanding of the structure and behavior of the different states of matter.

H.C.4A. Conceptual Understanding: Matter can exist as a solid, liquid, or gas, and in very high-energy states, as plasma. In general terms, for a given chemical, the particles making up the solid are at a lower energy state than the liquid phase, which is at a lower energy state than the gaseous phase. The changes from one state of matter into another are energy dependent. The behaviors of gases are dependent on the factors of pressure, volume, and temperature.

Performance Indicators: Students who demonstrate this understanding can:

- H.C.4A.1** Develop and use models to explain the arrangement and movement of the particles in solids, liquids, gases, and plasma as well as the relative strengths of their intermolecular forces.
- H.C.4A.2** Analyze and interpret heating curve graphs to explain that changes from one state of matter to another are energy dependent.
- H.C.4A.3** Conduct controlled scientific investigations and use models to explain the behaviors of gases (including the proportional relationships among pressure, volume, and temperature).

SOLUTIONS, ACIDS, AND BASES

Standard H.C.5: The student will demonstrate an understanding of the nature and properties of various types of chemical solutions.

H.C.5A. Conceptual Understanding: Solutions can exist in any of three physical states: gas, liquid, or solid. Solution concentrations can be expressed by specifying the relative amounts of solute and solvent. The nature of the solute, the solvent, the temperature, and the pressure can affect solubility. Solutes can affect such solvent properties as freezing point, boiling point, and vapor pressure. Acids, bases, and salts have characteristic properties. Several definitions of acids and bases are used in chemistry.

Performance Indicators: Students who demonstrate this understanding can:

H.C.5A.1 Obtain and communicate information to describe how a substance can dissolve in water by dissociation, dispersion, or ionization and how intermolecular forces affect solvation.

SOLUTIONS, ACIDS, AND BASES (*CONTINUED*)

H.C.5A.2 Analyze and interpret data to explain the effects of temperature and pressure on the solubility of solutes in a given amount of solvent.

H.C.5A.3 Use mathematical representations to analyze the concentrations of unknown solutions in terms of molarity and percent by mass.

H.C.5A.4 Analyze and interpret data to describe the properties of acids, bases, and salts.

CHEMICAL REACTIONS

Standard H.C.6: The student will demonstrate an understanding of the types, the causes, and the effects of chemical reactions.

H.C.6A. Conceptual Understanding: A chemical reaction occurs when elements and/or compounds interact, resulting in a rearrangement of the atoms of these elements and/or compounds to produce substances with unique properties. Mass is conserved in chemical reactions. Reactions tend to proceed in a direction that favors lower energies. Chemical reactions can be categorized using knowledge about the reactants to predict products. Chemical reactions are quantifiable. When stress is applied to a chemical system that is in equilibrium, the system will shift in a direction that reduces that stress.

Performance Indicators: Students who demonstrate this understanding can:

H.C.6A.1 Develop and use models to predict the products of chemical reactions (1) based upon movements of ions; (2) based upon movements of protons; and (3) based upon movements of electrons.

H.C.6A.2 Use Le Châtelier's principle to predict shifts in chemical equilibria resulting from changes in concentration, pressure, and temperature.

H.C.6A.3 Plan and conduct controlled scientific investigations to produce mathematical evidence that mass is conserved in chemical reactions.

H.C.6A.4 Use mathematical and computational thinking to predict the amounts of reactants required and products produced in specific chemical reactions.

THERMOCHEMISTRY AND CHEMICAL KINETICS

Standard H.C.7: The student will demonstrate an understanding of the conservation of energy and energy transfer.


H.C.7A. Conceptual Understanding: The first law of thermodynamics states that the amount of energy in the universe is constant. An energy diagram is used to represent changes in the energy of the reactants and products in a chemical reaction. Enthalpy refers to the heat content that is present in an atom, ion, or compound. While

some chemical reactions occur spontaneously, other reactions may require that activation energy be lowered in order for the reaction to occur.

THERMOCHEMISTRY AND CHEMICAL KINETICS (*CONTINUED*)

Performance Indicators: Students who demonstrate this understanding can:

- H.C.7A.1** Analyze and interpret data from energy diagrams and investigations to support claims that the amount of energy released or absorbed during a chemical reaction depends on changes in total bond energy.
- H.C.7A.2** Use mathematical and computational thinking to write thermochemical equations and draw energy diagrams for the combustion of common hydrocarbon fuels and carbohydrates, given molar enthalpies of combustion.
- H.C.7A.3** Plan and conduct controlled scientific investigations to determine the effects of temperature, surface area, stirring, concentration of reactants, and the presence of various catalysts on the rate of chemical reactions.
- H.C.7A.4** Develop and use models to explain the relationships between collision frequency, the energy of collisions, the orientation of molecules, activation energy, and the rates of chemical reactions.



**CHEMISTRY 1 CROSSWALK
FOR THE 2005 SOUTH CAROLINA SCIENCE ACADEMIC STANDARDS
AND THE 2014 SOUTH CAROLINA ACADEMIC STANDARDS AND
PERFORMANCE INDICATORS FOR SCIENCE**

Click [HERE](#) to return to the Table of Contents

ACKNOWLEDGEMENTS

SOUTH CAROLINA DEPARTMENT OF EDUCATION

The *Crosswalks for the South Carolina Academic Standards and Performance Indicators for Science* included in this document were developed under the direction of Dr. Julie Fowler, Deputy Superintendent, Division of College and Career Readiness and Cathy Jones Stork, Interim Director, Office of Standards and Learning.

The following South Carolina Department of Education (SCDE) staff members collaborated in the development of this document:

Dr. Deanna S. Taylor
Education Associate
Office of Standards and Learning

Dr. Regina E. Wragg
Education Associate
Office of Standards and Learning

CROSSWALK DOCUMENT REVIEW & REVISION TEAM

The following SC Educators collaborated with the SCDE to review and revise the *Crosswalks for the South Carolina Academic Standards and Performance Indicators for Science*, and their time, service, and expertise are appreciated.

Kelli Bellant (Clarendon 2)
Elizabeth Boland (Lex/Rich 5)
Michael Carothers (Lex/Rich 5)
Jami Cummings (Spartanburg 7)
Cleva Garner (Greenwood)
Constantina Green (Richland 1)
James Lillibridge (Charleston)
Jennifer McLeod (Richland 2)

Cheryl Milford (Orangeburg 3)
Jason Osborne (Beaufort)
Dominique Ragland (SCPC)
Kourtney Shumate (Darlington)
Tonya Smith (Richland 1)
Amy Steigerwalt (Charleston)
Tonya Swalgren (Lexington 1)
Pamela Vereen (Georgetown)

INTRODUCTION

This document, *Crosswalks for the 2005 South Carolina Science Academic Standards and the 2014 South Carolina Academic Standards and Performance Indicators for Science*, contains a comparison of the academic standards in science for the state's students in kindergarten through grade twelve.

HOW TO USE THE CROSSWALKS

This document may be used with the science academic standards, science and engineering support document, and grade/content support documents to assist local districts, schools and teachers as they construct standards-based science curriculum, allowing them to add or expand topics they feel are important and to organize content to fit their students' needs and match available instructional materials. 2005 and 2014 performance indicators that share similar content knowledge and skills that students should demonstrate to meet the grade level or high school course standards have been paired. These pairings have been organized into tables and are sequenced by the 2014 academic standards. The 2005 content indicators that do not match 2014 content have been placed at the end of each table. Additionally, since the conceptual understandings are novel to the *2014 South Carolina Academic Standards and Performance Indicators for Science* these portions of the crosswalk do not correlate to the *2005 South Carolina Science Academic Standards*. Conceptual understandings are statements of the core ideas for which students should demonstrate an understanding. Some grade level topics include more than one conceptual understanding with each building upon the intent of the standard.

The academic standards in this document are not sequenced for instruction and do not prescribe classroom activities; materials; or instructional strategies, approaches, or practices. The *Crosswalks for the 2005 South Carolina Science Academic Standards and the 2014 South Carolina Academic Standards and Performance Indicators for Science*, is not a curriculum.

CHEMISTRY 1 CROSSWALK DOCUMENT

(* The 2005 content indicators that do not match 2014 content have been placed at the end of each table.)

(**2005 indicators appropriate to a particular course for additional content and depth)

Standard H.C.1—Science and Engineering Practices		
2005	2014	Comments
C-1: The student will demonstrate an understanding of how scientific inquiry and technological design, including mathematical analysis, can be used appropriately to pose questions, seek answers, and develop solutions.	H.C.1: The student will use the science and engineering practices, including the processes and skills of scientific inquiry, to develop understandings of science content.	
Conceptual Understanding		
	H.C.1A.: The practices of science and engineering support the development of science concepts, develop the habits of mind that are necessary for scientific thinking, and allow students to engage in science in ways that are similar to those used by scientists and engineers.	
Performance Indicators		
	H.C.1A.1 Ask questions to (1) generate hypotheses for scientific investigations, (2) refine models, explanations, or designs, or (3) extend the results of investigations or challenge scientific arguments or claims.	
	H.C.1A.2 Develop, use, and refine models to (1) understand or represent phenomena, processes, and relationships, (2) test devices or solutions, or (3) communicate ideas to others.	This is a new expectation in these standards.

<p>C-1.2 Use appropriate laboratory apparatuses, technology, and techniques safely and accurately when conducting a scientific investigation.</p> <p>C-1.3 Use scientific instruments to record measurement data in appropriate metric units that reflect the precision and accuracy of each particular instrument.</p> <p>C-1.4 Design a scientific investigation with appropriate methods of control to test a hypothesis (including independent and dependent variables), and evaluate the designs of sample investigations.</p> <p>C-1.5 Organize and interpret the data from a controlled scientific investigation by using (including calculations in scientific notation, formulas, and dimensional analysis), graphs, tables, models, diagrams, and/or technology.</p> <p>C-1.8 Use appropriate safety procedures when conducting investigations.</p>	<p>H.C.1A.3 Plan and conduct controlled scientific investigations to answer questions, test hypotheses, and develop explanations: (1) formulate scientific questions and testable hypotheses based on credible scientific information, (2) identify materials, procedures, and variables, (3) use appropriate laboratory equipment, technology, and techniques to collect qualitative and quantitative data, and (4) record and represent data in an appropriate form. Use appropriate safety procedures.</p>	
--	--	--

<p>C-1.5 Organize and interpret the data from a controlled scientific investigation by using (including calculations in scientific notation, formulas, and dimensional analysis), graphs, tables, models, diagrams, and/or technology.</p> <p>C-1.6 Evaluate the results of a scientific investigation in terms of whether they verify or refute the hypothesis and what the possible sources of error are.</p>	<p>H.C.1A.4 Analyze and interpret data from informational texts and data collected from investigations using a range of methods (such as tabulation, graphing, or statistical analysis) to (1) reveal patterns and construct meaning, (2) support or refute hypotheses, explanations, claims, or designs, or (3) evaluate the strength of conclusions.</p>	<p>Note that A.4 is a much richer set of expectations than C-1.6, and could be done in many instructional contexts, not just for lab investigations.</p>
<p>C-1.1 Apply established rules for significant digits, both in reading scientific instruments and in calculating derived quantities from measurement.</p> <p>C-1.5 Organize and interpret the data from a controlled scientific investigation by using (including calculations in scientific notation, formulas, and dimensional analysis), graphs, tables, models, diagrams, and/or technology.</p>	<p>H.C.1A.5 Use mathematical and computational thinking to (1) use and manipulate appropriate metric units, (2) express relationships between variables for models and investigations, and (3) use grade-level appropriate statistics to analyze data.</p>	
	<p>H.C.1A.6 Construct explanations of phenomena using (1) primary or secondary scientific evidence and models, (2) conclusions from scientific investigations, (3) predictions based on observations and measurements, or (4) data communicated in graphs, tables, or diagrams.</p>	<p>Students constructing their own explanations, like models in A.2. is one of the hallmarks of these new standards.</p>

C-1.4 Design a scientific investigation with appropriate methods of control to test a hypothesis (including independent and dependent variables), and evaluate the designs of sample investigations.	H.C.1A.7 Construct and analyze scientific arguments to support claims, explanations, or designs using evidence and valid reasoning from observations, data, or informational texts	Once again, compared to C-1.4 , A.7 is intended to be taught in many different contexts. One of the ideas here is that hands-on investigations and activities are great, but in the end, if students can't explain the concepts they are not instructionally appropriate.
	H.C.1A.8 Obtain and evaluate scientific information to (1) answer questions, (2) explain or describe phenomena, (3) develop models, (4) evaluate hypotheses, explanations, claims, or designs or (5) identify and/or fill gaps in knowledge. Communicate using the conventions and expectations of scientific writing or oral presentations by (1) evaluating grade-appropriate primary or secondary scientific literature, or (2) reporting the results of student experimental investigations.	
Conceptual Understanding		
	H.C.1B. Conceptual Understanding: Technology is any modification to the natural world created to fulfill the wants and needs of humans. The engineering design process involves a series of iterative steps used to solve a problem and often leads to the development of a new or improved technology.	

Performance Indicators		
C-1.7 Evaluate a technological design or product on the basis of designated criteria	H.C.1B.1 Construct devices or design solutions using scientific knowledge to solve specific problems or needs: (1) ask questions to identify problems or needs, (2) ask questions about the criteria and constraints of the device or solutions, (3) generate and communicate ideas for possible devices or solutions, (4) build and test devices or solutions, (5) determine if the devices or solutions solved the problem and refine the design if needed, and (6) communicate the results.	

Standard H.C.2—Atomic Structure and Nuclear Processes		
2005	2014	Comments
C-2: Students will demonstrate an understanding of atomic structure and nuclear processes.	H.C.2: The student will demonstrate an understanding of atomic structure and nuclear processes.	
Conceptual Understanding		
	H.C.2A: The existence of atoms can be used to explain the structure and behavior of matter. Each atom consists of a charged nucleus, consisting of protons and neutrons, surrounded by electrons. The interactions of these electrons between and within atoms are the primary factors that determine the chemical properties of matter. In a neutral atom the number of protons is the same as the number of electrons.	

Performance Indicators		
C-2.2 Summarize atomic properties (including electron configuration, ionization energy, electron affinity, atomic size, and ionic size).	H.C.2A.1 Obtain and communicate information to describe and compare subatomic particles with regard to mass, location, charge, electrical attractions and repulsions, and impact on the properties of an atom.	
	H.C.2A.2 Use the Bohr and quantum mechanical models of atomic structure to exemplify how electrons are distributed in atoms.	
C-2.1 Illustrate electron configurations by using orbital notation for representative elements.	H.C.2A.3 Analyze and interpret absorption and emission spectra to support explanations that electrons have discrete energy levels.	The 2014 standard emphasizes energy levels and not necessarily electron configurations.
Conceptual Understanding		
	H.C.2B: In nuclear fusion, lighter nuclei combine to form more stable heavier nuclei and in nuclear fission heavier nuclei are split to form lighter nuclei. The energies in fission and fusion reactions exceed the energies in usual chemical reactions.	
Performance Indicators		
C-2.5 Compare alpha, beta, and gamma radiation in terms of mass, charge, penetrating power, and the release of these particles from the nucleus	H.C.2B.1 Obtain and communicate information to compare alpha, beta, and gamma radiation in terms of mass, charge, penetrating power, and their practical applications (including medical benefits and associated risks).	

<p>C-2.6 Explain the concept of half-life, its use in determining the age of materials, and its significance to nuclear waste disposal.</p> <p>C-2.7** Apply the predictable rate of nuclear decay (half-life) to determine the age of materials.</p> <p>C-2.8** Analyze a decay series chart to determine the products of successive nuclear reactions and write nuclear equations for disintegration of specified nuclides.</p>	<p>H.C.2B.2 Develop models to exemplify radioactive decay and use the models to explain the concept of half-life and its use in determining the age of materials (such as radiocarbon dating or the use of radioisotopes to date rocks).</p>	
<p>C-2.4 Compare the nuclear reactions of fission and fusion to chemical reactions (including the parts of the atom involved and the relative amounts of energy released).</p>	<p>H.C.2B.3 Obtain and communicate information to compare and contrast nuclear fission and nuclear fusion and to explain why the ability to produce low energy nuclear reactions would be a scientific breakthrough.</p>	
<p>C-2.9** Use the equation $E = mc^2$ to determine the amount of energy released during nuclear reactions.</p>	<p>H.C.2B.4 Use mathematical and computational thinking to explain the relationship between mass and energy in nuclear reactions ($E=mc^2$).</p>	

***C-2.3** Summarize the periodic table's property trends (including electron configuration, ionization energy, electron affinity, atomic size, ionic size, and reactivity).

Standard H.C.3—Bonding and Chemical Formulas		
2005	2014	Comments
C-3: The student will demonstrate an understanding of the structures and classifications of chemical compounds.	H.C.3: The student will demonstrate an understanding of the structures and classification of chemical compounds.	
Conceptual Understanding		
	<p>H.C.3A: Elements are made up of only one kind of atom. With increasing atomic number, a predictable pattern for the addition of electrons exists. This pattern is the basis for the arrangement of elements in the periodic table. The chemical properties of an element are determined by an element's electron configuration. Elements can react to form chemical compounds/molecules that have unique properties determined by the kinds of atoms combined to make up the compound/molecule. Essentially, the ways in which electrons are involved in bonds determines whether ionic or covalent bonds are formed. Compounds have characteristic shapes that are determined by the type and number of bonds formed.</p>	
Performance Indicators		
<p>C-3.2 Interpret the names and formulas for ionic and covalent compounds.</p> <p>C-3.3 Explain how the types of intermolecular forces present in a compound affect the physical properties of compounds (including polarity and molecular shape).</p>	<p>H.C.3A.1 Construct explanations for the formation of molecular compounds via sharing of electrons and for the formation of ionic compounds via transfer of electrons.</p>	

	H.C.3A.2 Use the periodic table to write and interpret the formulas and names of chemical compounds (including binary ionic compounds, binary covalent compounds, and straight-chain alkanes up to six carbons).	
C-3.1 Predict the type of bonding (ionic or covalent) and the shape of simple compounds by using Lewis dot structures and oxidation numbers.	H.C.3A.3 Analyze and interpret data to predict the type of bonding (ionic or covalent) and the shape of simple compounds by using the Lewis dot structures and oxidation numbers.	
	H.C.3A.4 Plan and conduct controlled scientific investigations to generate data on the properties of substances and analyze the data to infer the types of bonds (including ionic, polar covalent, and nonpolar covalent) in simple compounds.	
C-3.4 Explain the unique bonding characteristics of carbon that have resulted in the formation of a large variety of organic structures. C-3.5 Illustrate the structural formulas and names of simple hydrocarbons (including alkanes and their isomers and benzene rings).	H.C.3A.5 Develop and use models (such as Lewis dot structures, structural formulas, or ball-and-stick models) of simple hydrocarbons to exemplify structural isomerism.	
C-3.6** Identify the basic structure of common polymers (including proteins, nucleic acids, plastics, and starches).	H.C.3A.6 Construct explanations of how the basic structure of common natural and synthetic polymers is related to their bulk properties.	

	H.C.3A.7 Analyze and interpret data to determine the empirical formula of a compound and the percent composition of a compound.	
--	--	--

C-3.7** Classify organic compounds in terms of their functional group.

C-3.8** Explain the effect of electronegativity and ionization energy on the type of bonding in a molecule.

C-3.9** Classify polymerization reactions as addition or condensation.

C-3.10** Classify organic reactions as addition, elimination, or condensation.

Standard H.C.4—States of Matter		
2005	2014	Comments
C-5: The student will demonstrate an understanding of the structure and behavior of the different phases of matter.	H.C.4: The student will demonstrate an understanding of the structure and behavior of the different states of matter.	
Conceptual Understanding		
	H.C.4A: Matter can exist as a solid, liquid, or gas, and in very high-energy states, as plasma. In general terms, for a given chemical, the particles making up the solid are at a lower energy state than the liquid phase, which is at a lower energy state than the gaseous phase. The changes from one state of matter into another are energy dependent. The behaviors of gases are dependent on the factors of pressure, volume, and temperature.	
Performance Indicators		
C-5.1 Explain the effects of the intermolecular forces on the different phases of matter.	H.C.4A.1 Develop and use models to explain the arrangement and movement of the particles in solids, liquids, gases, and plasma as well as the relative strengths of their intermolecular forces.	

<p>C-5.4 Illustrate and interpret heating and cooling curves (including how boiling and melting points can be identified and how boiling points vary with changes in pressure).</p>	<p>H.C.4A.2 Analyze and interpret heating curve graphs to explain that changes from one state of matter to another are energy dependent.</p>	
<p>C-5.2 Explain the behaviors of gas; the relationship among pressure, volume, and temperature; and the significance of the Kelvin (absolute temperature) scale, using the kinetic-molecular theory as a model.</p> <p>C-5.3 Apply the gas laws to problems concerning changes in pressure, volume, or temperature (including Charles's law, Boyle's law, and the combined gas law).</p> <p>C-5.7** Apply the ideal gas law ($pV = nRT$) to solve problems.</p>	<p>H.C.4A.3 Conduct controlled scientific investigations and use models to explain the behaviors of gases (including the proportional relationships among pressure, volume, and temperature).</p>	

C-5.6 **Use density to determine the mass, volume, or number of particles of a gas in a chemical reaction.

C-5.8** Analyze a product for purity by following the appropriate assay procedures.

C-5.9** Analyze a chemical process to account for the weight of all reagents and solvents by following the appropriate material balance procedures.

Standard H.C.5—Solids, Acids, and Bases		
2005	2014	Comments
C-6: The student will demonstrate an understanding of the nature and properties of various types of chemical solutions.	H.C.5: The student will demonstrate an understanding of the nature and properties of various types of chemical solutions.	
Conceptual Understanding		
	H.C.5A: Solutions can exist in any of three physical states: gas, liquid, or solid. Solution concentrations can be expressed by specifying the relative amounts of solute and solvent. The nature of the solute, the solvent, the temperature, and the pressure can affect solubility. Solutes can affect such solvent properties as freezing point, boiling point, and vapor pressure. Acids, bases, and salts have characteristic properties. Several definitions of acids and bases are used in chemistry.	
Performance Indicators		
C-6.1 Summarize the process by which solutes dissolve in solvents, the dynamic equilibrium that occurs in saturated solutions, and the effects of varying pressure and temperature on solubility.	H.C.5A.1 Obtain and communicate information to describe how a substance can dissolve in water by dissociation, dispersion, or ionization and how intermolecular forces affect solvation.	
C-6.2 Compare solubility of various substances in different solvents (including polar and nonpolar solvents and organic and inorganic substances).		

C-6.1 Summarize the process by which solutes dissolve in solvents, the dynamic equilibrium that occurs in saturated solutions, and the effects of varying pressure and temperature on solubility C-6.10** Interpret solubility curves to determine saturation at different temperatures.	H.C.5A.2 Analyze and interpret data to explain the effects of temperature and pressure on the solubility of solutes in a given amount of solvent.	
C-6.4 Carry out calculations to find the concentration of solutions in terms of molarity and percent weight (mass).	H.C.5A.3 Use mathematical representations to analyze the concentrations of unknown solutions in terms of molarity and percent by mass.	
C-6.5 Summarize the properties of salts, acids, and bases.	H.C.5A.4 Analyze and interpret data to describe the properties of acids, bases, and salts.	

*C-6.3 Illustrate the colligative properties of solutions (including freezing point depression and boiling point elevation and their practical uses).

*C-6.6 Distinguish between strong and weak common acids and bases.

*C-6.7 Represent common acids and bases by their names and formulas.

C-6.8** Use the hydronium or hydroxide ion concentration to determine the pH and pOH of aqueous solutions.

C-6.9** Explain how the use of a titration can determine the concentration of acid and base solutions

C-6.11** Use a variety of procedures for separating mixtures (including distillation, crystallization filtration, paper chromatography, and centrifuge).

C-6.12** Use solubility rules to write net ionic equations for precipitation reactions in aqueous solution.

C-6.13** Use the calculated molality of a solution to calculate the freezing point depression and the boiling point elevation of a solution.

C-6.14** Represent neutralization reactions and reactions between common acids and metals by using chemical equations.

C-6.15 **Analyze the composition of a chemical sample by using gas chromatography.

Standard H.C.6—Chemical Reactions		
2005	2014	Comments
C-4: The student will demonstrate an understanding of the types, the causes, and the effects of chemical reactions.	H.C.6: The student will demonstrate an understanding of the types, the causes, and the effects of chemical reactions.	
Conceptual Understanding		
	H.C.6A: A chemical reaction occurs when elements and/or compounds interact, resulting in a rearrangement of the atoms of these elements and/or compounds to produce substances with unique properties. Mass is conserved in chemical reactions. Reactions tend to proceed in a direction that favors lower energies. Chemical reactions can be categorized using knowledge about the reactants to predict products. Chemical reactions are quantifiable. When stress is applied to a chemical system that is in equilibrium, the system will shift in a direction that reduces that stress.	
Performance Indicators		
C-4.7 Summarize the oxidation and reduction processes (including oxidizing and reducing agents).	H.C.6A.1 Develop and use models to predict the products of chemical reactions (1) based upon movements of ions; (2) based upon movements of protons; and (3) based upon movements of electrons.	
C-4.9** Summarize the concept of chemical equilibrium and Le Châtelier's principle.	H.C.6A.2 Use Le Châtelier's principle to predict shifts in chemical equilibria resulting from changes in concentration, pressure, and temperature.	


<p>C-4.4 Apply the concept of moles to determine the number of particles of a substance in a chemical reaction, the percent composition of a representative compound, the mass proportions, and the mole-mass relationships.</p> <p>C-4.5 Predict the percent yield, the mass of excess, and the limiting reagent in chemical reactions.</p>	<p>H.C.6A.3 Plan and conduct controlled scientific investigations to produce mathematical evidence that mass is conserved in chemical reactions.</p>	
<p>C-4.1 Analyze and balance equations for simple synthesis, decomposition, single replacement, double replacement, and combustion reactions.</p> <p>C-4.2 Predict the products of acid-base neutralization and combustion reactions.</p>	<p>H.C.6A.4 Use mathematical and computational thinking to predict the amounts of reactants required and products produced in specific chemical reactions.</p>	

C-4.8** Illustrate the uses of electrochemistry (including electrolytic cells, voltaic cells, and the production of metals from ore by electrolysis).

Standard H.C.7—Thermochemistry and Chemical Kinetics		
2005	2014	Comments
<p>C-4: The student will demonstrate an understanding of the types, the causes, and the effects of chemical reactions.</p> <p>C-5: The student will demonstrate an understanding of the structure and behavior of the different phases of matter.</p>	<p>H.C.7: The student will demonstrate an understanding of the conservation of energy and energy transfer.</p>	

Conceptual Understanding		
	H.C.7A.: The first law of thermodynamics states that the amount of energy in the universe is constant. An energy diagram is used to represent changes in the energy of the reactants and products in a chemical reaction. Enthalpy refers to the heat content that is present in an atom, ion, or compound. While some chemical reactions occur spontaneously, other reactions may require that activation energy be lowered in order for the reaction to occur.	
Performance Indicators		
C-4.3 Analyze the energy changes (endothermic or exothermic) associated with chemical reactions.	H.C.7A.1 Analyze and interpret data from energy diagrams and investigations to support claims that the amount of energy released or absorbed during a chemical reaction depends on changes in total bond energy.	
C-5.5** Analyze the energy changes involved in calorimetry by using the law of conservation of energy as it applies to temperature, heat, and phase changes (including the use of the formulas $q = mc\Delta T$ [temperature change] and $q = mL_v$ and $q = mL_f$ [phase change] to solve calorimetry problems)	H.C.7A.2 Use mathematical and computational thinking to write thermochemical equations and draw energy diagrams for the combustion of common hydrocarbon fuels and carbohydrates, given molar enthalpies of combustion.	
C-4.6 Explain the role of activation energy and the effects of temperature, particle size, stirring, concentration, and catalysts in reaction rates.	H.C.7A.3 Plan and conduct controlled scientific investigations to determine the effects of temperature, surface area, stirring, concentration of reactants, and the presence of various catalysts on the rate of chemical reactions.	

<p>C-4.10** Explain the role of collision frequency, the energy of collisions, and the orientation of molecules in reaction rates.</p>	<p>H.C.7A.4 Develop and use models to explain the relationships between collision frequency, the energy of collisions, the orientation of molecules, activation energy, and the rates of chemical reactions.</p>	
---	---	--



**CONTENT SUPPORT GUIDE
FOR CHEMISTRY 1
2014 SOUTH CAROLINA ACADEMIC STANDARDS
AND PERFORMANCE INDICATORS
FOR SCIENCE**

ACKNOWLEDGEMENTS

South Carolina owes a debt of gratitude to the following individuals for their assistance in the development of the Chemistry 1 Content Support Guide for the *South Carolina Academic Standards and Performance Indicators for Science*.

SOUTH CAROLINA DEPARTMENT OF EDUCATION

The explication of the standards and performance indicators included in this document were developed under the direction of Dr. Julie Fowler, Deputy Superintendent, Division of College and Career Readiness and Cathy Jones Stork, Interim Director, Office of Standards and Learning.

The following South Carolina Department of Education (SCDE) staff members collaborated in the development of this document:

Dr. Deanna S. Taylor
Education Associate
Office of Standards and Learning

Dr. Regina E. Wragg
Education Associate
Office of Standards and Learning

CHEMISTRY 1 CURRICULUM DOCUMENT DEVELOPMENT TEAM

The following SC Educators collaborated with the SCDE to develop and draft the *Curriculum Support Guide for the South Carolina Academic Standards and Performance Indicators for Science*, and their efforts and input are appreciated.

Dominique Ragland, Coordinator (Dorchester 2)
Janet Latha (Richland 1)

Hunter O. Jolley (Spartanburg 2)
Elaine Smith (Marion)

CONTENT SUPPORT GUIDE REVISION TEAM

The following SC Educators collaborated with the SCDE to review, revise and compile the *Content Support Guides for the South Carolina Academic Standards and Performance Indicators for Science*, and their time, service and expertise are appreciated.

Kelli Bellant (Clarendon 2)
Elizabeth Boland (Lex/Rich 5)
Michael Carothers (Lex/Rich 5)
Jami Cummings (Spartanburg 7)
Cleva Garner (Greenwood)
Constantina Green (Richland 1)
James Lillibridge (Charleston)
Jennifer McLeod (Richland 2)

Cheryl Milford (Orangeburg 3)
Jason Osborne (Beaufort)
Dominique Ragland (SCPC)
Kourtney Shumate (Darlington)
Tonya Smith (Richland 1)
Amy Steigerwalt (Charleston)
Tonya Swalgren (Lexington 1)
Pamela Vereen (Georgetown)

The SCDE would like to acknowledge the following members from the Office of Assessment at the South Carolina Department of Education (SCDE) for their expertise and assistance with the development of this document:

Amelia Brailsford, Education Associate
Dr. Kirsten Hural, Education Associate
Llewellyn Shealy, Education Associate

INTRODUCTION

Local districts, schools and teachers may use this document to construct standards-based science curriculum, allowing them to add or expand topics they feel are important and to organize content to fit their students' needs and match available instructional materials. The support document includes essential knowledge, extended knowledge, connections to previous and future knowledge, and assessment recommendations.

FORMAT OF THE CONTENT SUPPORT GUIDE

The format of this document is designed to be structurally uniformed for each of the academic standards and performance indicators. For each, you will find the following sections--

- **Standard**
 - This section provides the standard being explicated.
- **Conceptual Understanding**
 - This section provides the overall understanding that the student should possess as related to the standard. Additionally, the conceptual understandings are novel to the *2014 South Carolina Academic Standards and Performance Indicators for Science*.
- **Performance Indicator**
 - This section provides a specific set of content with an associated science and engineering practice for which the student must demonstrate mastery.
- **Assessment Guidance**
 - This section provides guidelines for educators and assessors to check for student mastery of content utilizing interrelated science and engineering practices.
- **Previous and Future Knowledge**
 - This section provides a list of academic content along with the associated academic standard that students will have received in prior or will experience in future grade levels. Please note that the kindergarten curriculum support document does not contain previous knowledge. Additionally, although the high school support document may not contain future knowledge, this section may list overlapping concepts from other high school science content areas.
- **Essential Knowledge**
 - This section illustrates the knowledge of the content contained in the performance indicator for which it is fundamental for students to demonstrate mastery.
- **Extended Knowledge**
 - This section provides educators with topics that will enrich students' knowledge related to topics learned with the explicated performance indicator.
- **Science and Engineering Practices**
 - This section lists the specific science and engineering practice that is paired with the content in the performance indicator. Educators should reference the chapter on this specific science and engineering practice in the *Science and Engineering Practices Support Guide*.

CHEMISTRY 1 CONTENT SUPPORT GUIDE

Standard

H.C.2: The student will demonstrate an understanding of atomic structure and nuclear processes.

Conceptual Understanding

H.C.2A: The existence of atoms can be used to explain the structure and behavior of matter. Each atom consists of a charged nucleus, consisting of protons and neutrons, surrounded by electrons. The interactions of these electrons between and within atoms are the primary factors that determine the chemical properties of matter. In a neutral atom the number of protons is the same as the number of electrons.

Performance Indicator

H.C.2A.1 Obtain and communicate information to describe and compare subatomic particles with regard to mass, location, charge, electrical attractions and repulsions, and impact on the properties of an atom.

Assessment Guidance

The objective of this indicator is to *obtain and communicate information* to describe and compare subatomic particles with regard to mass, location, charge, electrical attractions and repulsions, and impact on the properties of an atom. Therefore, the primary focus of assessment should be for students to obtain and evaluate scientific information to (1) answer questions, (2) explain or describe phenomena, (3) develop models of atom, (4) evaluate hypotheses, explanations, claims, or designs or (5) identify and/or fill gap in knowledge. Communicate using the conventions and expectations of scientific writing or oral presentations by (1) evaluating grade-appropriate primary or secondary scientific literature, or (2) reporting the results of student experimental investigations regarding what factors impact the properties of atom. This could include but is not limited to students using computer simulations and virtual labs that describes the impact of subatomic particles on properties like Electron configuration, Ionization energy, Electron Affinity, Relative size of atoms. Students communicate the cause and effect relationships that affect properties using presentations, discussions, digital publications, and digital media.

In addition to *obtain information and communicate information*, students should be asked to ask questions; plan and carry out investigations; analyze and interpret data; use mathematics and computational thinking; engage in argument from evidence; construct explanations; develop and use models; and construct devices or define solutions.

Previous Knowledge

7.P.2A.2 (Organization of the Periodic Table)

Essential Knowledge

- Atoms are comprised of three subatomic particles. The mass of proton and neutron are similar, yet much larger than that of the electron. The protons and neutrons comprise the nucleus. The electrons are located within an electron cloud outside of the nucleus. Refer to chart for charges.
- Atoms have a positively charged nucleus (made from protons and neutrons) surrounded by negative electrons. The atom is mostly empty space.

- Atomic number gives identity to atom, mass is determined mostly by number of protons and neutrons, and chemical properties are determined by valence electrons.

Subatomic particle	Symbol	Mass (g)	Atomic mass (amu)	Atomic Charge	Location
Proton	P^+	1.673×10^{-24}	1.0073	+1	Nucleus
Neutron	n^0	1.675×10^{-24}	1.0078	0	Nucleus
Electron	e^-	9.109×10^{-28}	0.005485	-1	Electron cloud

- Understand the following atomic characteristics and properties (in terms of atomic structure) and understand what variables influence the magnitude of the characteristics or properties for a given element.
 - Electron configuration
 - Ionization energy
 - Electron Affinity
 - Relative size of atoms
 - Ionic size

Science and Engineering Practices

S.1.A.8

Standard

H.C.2 The student will demonstrate an understanding of atomic structure and nuclear processes.

Conceptual Understanding

H.C.2A The existence of atoms can be used to explain the structure and behavior of matter. Each atom consists of a charged nucleus, consisting of protons and neutrons, surrounded by electrons. The interactions of these electrons between and within atoms are the primary factors that determine the chemical properties of matter. In a neutral atom the number of protons is the same as the number of electrons.

Performance Indicator

H.C.2A.2 Use the Bohr and quantum mechanical models of atomic structure to exemplify how electrons are distributed in atoms.

Assessment Guidance

The objective of this indicator is to *obtain and communicate information* to describe and compare subatomic particles with regard to mass, location, charge, electrical attractions and repulsions, and impact on the properties of an atom. Therefore, the primary focus of assessment should be for students to obtain and evaluate scientific information to (1) answer questions, (2) explain or describe phenomena, (3) develop models of atom, (4) evaluate hypotheses, explanations, claims, or designs or (5) identify and/or fill gap in knowledge. Communicate using the conventions and expectations of scientific writing or oral presentations by (1) evaluating grade-appropriate primary or secondary scientific literature, or (2) reporting the results of student experimental investigations regarding what factors impact the properties of atom. This could include but is not limited to students using computer simulations and virtual labs that describes the impact of subatomic particles on properties like Electron configuration, Ionization energy, Electron Affinity, Relative size of atoms. Students communicate the cause and effect relationships that affect properties using presentations, discussions, digital publications, and digital media.

In addition to *obtain information and communicate information*, students should be asked to *ask questions; plan and carry out investigations; analyze and interpret data; use mathematics and computational thinking; engage in argument from evidence; construct explanations; develop and use models; and construct devices or define solutions*

Previous Knowledge

7.P.2A.1 (Atomic Models)

Essential Knowledge

- The Bohr model of the atom can be utilized to explain the arrangement of electrons within the hydrogen atom. The Bohr model is not sufficient in regard to explaining all electron arrangements.
- The quantum mechanical model can be utilized to describe the arrangement and location of electrons. Electron configuration can be utilized to identify the approximate location of electrons.
- Understand orbital types, orbital designation, number of orbitals within an energy level, two electrons can occupy an orbital.
- Utilize standard notation, orbital notation, and electron-dot structures using Hund's rule, Aufbau's principle and Pauli's exclusion principle.
- Be able to draw Lewis dot notation for representative element.

Extended Knowledge

Students can draw Lewis dot notation for representative elements and construct electron configuration notation and orbital notation for representative elements. The noble gas convention and quantum numbers instruction could also prepare students for more advanced coursework.

Science and Engineering Practices

S.1.A.2

Standard

H.C.2 The student will demonstrate an understanding of atomic structure and nuclear processes.

Conceptual Understanding

H.C.2A: The existence of atoms can be used to explain the structure and behavior of matter. Each atom consists of a charged nucleus, consisting of protons and neutrons, surrounded by electrons. The interactions of these electrons between and within atoms are the primary factors that determine the chemical properties of matter. In a neutral atom the number of protons is the same as the number of electrons.

Performance Indicator

H.C.2A.3 Analyze and interpret absorption and emission spectra to support explanations that electrons have discrete energy levels.

Assessment Guidance

The objective of this indicator is to *analyze and interpret* absorption and emission spectra to support explanations that electrons have discrete energy levels. Therefore, the primary focus of assessment should be for students to *analyze and interpret data from informational texts and data collected from investigations using a range of methods (such as tabulation, graphing, or statistical analysis) to (1) reveal patterns and construct meaning, (2) support or refute hypotheses, explanations, claims, or designs, or (3) evaluate the strength of*

conclusions regarding how absorption and emission of energy can cause movement of electrons between energy levels. This could include but is not limited to students organizing data collected from an analytic procedure (flame test) to detect the presence of certain elements, primarily metal ions, based on each element's characteristic emission spectrum.

In addition to *analyze and interpret data*, students should be asked to *ask questions; plan and carry out investigations; use mathematics and computational thinking; engage in argument from evidence; construct explanations; develop and use models; obtain, evaluate, and communicate information; and construct devices or define solutions*.

Previous Knowledge

7.P.2A.1 (Atomic Models)

8.P.3A.2 (Basic Properties of Waves)

Essential Knowledge

- When electrons absorb energy, they move to higher energy levels; energy is released when they move to lower energy levels.
- Electrons move between energy levels.
- A photon of light will be emitted when electrons release gained energy.
- Transitions between the same energy levels always produce the same frequency emission. The frequency is the cause of visible color.
- An element's emission spectra can be utilized to identify the element.
- Emission spectra are produced by thin gases in which the atoms do not experience many collisions because of low density. The emission lines (bright area) correspond to photons of discrete energies that are emitted when in excited states.
- Absorption spectrum occurs when light passes through a cold dilute gases and atom in the gas absorb at specific frequencies. The spectrum with these missing frequencies is called an **absorption spectrum**.

Extended Knowledge

Plank's constant ($E=h\nu$), ($E=mc^2$), and utilization of ($c=f\lambda$) to determine wavelength and frequency. Continuous spectra should be discussed.

Science and Engineering Practices

S.1.A.4

Standard

H.C.2 The student will demonstrate an understanding of atomic structure and nuclear processes.

Conceptual Understanding

H.C.2B: In nuclear fusion, lighter nuclei combine to form more stable heavier nuclei and in nuclear fission heavier nuclei are split to form lighter nuclei. The energies in fission and fusion reactions exceed the energies in usual chemical reactions

Performance Indicator

H.C.2B.1 Obtain and communicate information to compare alpha, beta, and gamma radiation in terms of mass, charge, penetrating power, and their practical applications (including medical benefits and associated risks).

Assessment Guidance

The objective of this indicator is to *obtain and communicate information* to compare alpha, beta, and gamma radiation in terms of mass, charge, penetrating power, and their practical applications (including medical benefits and associated risks). Therefore, the primary focus of assessment should be for students to obtain and evaluate scientific information to (1) answer questions, (2) explain or describe phenomena, (3) develop models, (4) evaluate hypotheses, explanations, claims, or designs or (5) identify and/or fill gap in knowledge. Communicate using the conventions and expectations of scientific writing or oral presentations by (1) evaluating grade-appropriate primary or secondary scientific literature, or (2) reporting the results of student experimental investigations regarding the factors like mass, charge, penetrating power that affect the practical applications. This could include but is not limited to students using computer simulations and virtual labs that describe the medical benefits and associated risks of radiations. Students communicate the cause and effect relationships that affect practical applications using presentations, discussions, digital publications, and digital media.

In addition to *obtain information and communicate information*, students should be asked to *ask questions; plan and carry out investigations; analyze and interpret data; use mathematics and computational thinking; engage in argument from evidence; construct explanations; develop and use models; and construct devices or define solutions*

Previous and Future Knowledge

7.P.2A.1(Atomic Models)

H.P.3G (Atomic Structure; Fission and Fusion; Radioactive Decay; Applications of Radioactive Decay)

H.E.4A (Dating methods to estimate geologic time; Isotopic ratios)

Essential Knowledge

Type of radiation emitted & symbol	Nature of the radiation	Nuclear Symbol	Penetrating power, and what will block it	Effect of release of particles from the nucleus
α Alpha	a helium nucleus of 2 protons and 2 neutrons, mass = 4, charge = +2	${}^4_2\text{He}$	Low penetration stopped by a few cm of air or thin sheet of paper	Reduces the atomic mass number by 4 Reduces the atomic number by 2
β Beta	high kinetic energy electrons, mass = 1/1850 of alpha, charge = -1	${}^0_{-1}\text{e}$	Moderate penetration, most stopped by a few mm of metals like aluminum	Is the result of neutron decay and will increase the atomic number by 1 but will not change the mass number
γ Gamma	very high frequency electromagnetic radiation, mass = 0, charge = 0	${}^0_0\gamma$	Very highly penetrating, most stopped by a thick layer of steel or concrete, but even a few cm of dense lead doesn't stop all of it!	Is electromagnetic radiation released from an excited nucleus. The atomic number and mass number do not change.

Chart Source: 2005 Science Standards Support Document

- Practical applications should include
 - Medical benefits and associated risks of procedures like x-ray, radiotherapy, radiation therapy, CAT scan, etc.
 - Real-world application of items like smoke detectors (Americium)

Science and Engineering Practices

S.1.A.8

Standard

H.C.2 The student will demonstrate an understanding of atomic structure and nuclear processes.

Conceptual Understanding

H.C.2B: In nuclear fusion, lighter nuclei combine to form more stable heavier nuclei and in nuclear fission heavier nuclei are split to form lighter nuclei. The energies in fission and fusion reactions exceed the energies in usual chemical reactions

Performance Indicator

H.C.2B.2 Develop models to exemplify radioactive decay and use the models to explain the concept of half-life and its use in determining the age of materials (such as radiocarbon dating or the use of radioisotopes to date rocks).

Assessment Guidance

The objective of this indicator is for students to *develop models* to exemplify radioactive decay and use the models to explain the concept of half-life and its use in determining the age of materials (such as radiocarbon dating or the use of radioisotopes to date rocks). Therefore, the primary focus of assessment should be for students to develop and use models to (1) understand or represent phenomena, processes, and relationships, (2) test devices or solutions, or (3) communicate ideas to others to understand and explain the concept of half-life and use it to determine age. This could include but not limited to students designing and manipulating simulations using computer software to illustrate radioactive decay and communicate the relationship between half-life and the age of materials. Students may also use mathematical formulae to illustrate and evaluate half-life.

In addition to *develop and use models*, students should be asked to *ask questions; plan and carry out investigations; analyze and interpret data; use mathematics and computational thinking; engage in argument from evidence; construct explanations; obtain, evaluate, and communicate information; and construct devices or define solutions.*

Previous and Future Knowledge

7.P.2A.1 (Atomic Models)

H.P.3G (Radioactive Decay; Applications of Radioactive Decay)

H.E.4A (Dating methods to estimate geologic time; Isotopic ratios)

Essential Knowledge

- Radioactive decay is the spontaneous breakdown of an atomic nucleus resulting in the release of energy and matter from the nucleus.

- Half-life is the time required for half of the entity's matter to decay. For example, Carbon-14 is an isotope of the element Carbon. It has a half-life of 5,730 years. An initial sample of 100g would have only 50 g remaining after this time.
- Carbon-14 is an example of how radioactive decay can be used to estimate the age of carbon-bearing materials.

Extended Knowledge

Students can also calculate the half-life of an isotope as well as the mass of an isotope remaining after a given number of half-lives.

Science and Engineering Practices

S.1A.2

Standard

H.C.2 The student will demonstrate an understanding of atomic structure and nuclear processes.

Conceptual Understanding

H.C.2B: In nuclear fusion, lighter nuclei combine to form more stable heavier nuclei and in nuclear fission heavier nuclei are split to form lighter nuclei. The energies in fission and fusion reactions exceed the energies in usual chemical reactions

Performance Indicator

H.C.2B.3 Obtain and communicate information to compare and contrast nuclear fission and nuclear fusion and to explain why the ability to produce low energy nuclear reactions would be a scientific breakthrough.

Assessment Guidance

The objective of this indicator is to *obtain and communicate information* to compare and contrast nuclear fission and nuclear fusion and to explain why the ability to produce low energy nuclear reactions would be a scientific breakthrough. Therefore, the primary focus of assessment should be for students to obtain and evaluate scientific information to (1) answer questions, (2) explain or describe phenomena, (3) develop models, (4) evaluate hypotheses, explanations, claims, or designs or (5) identify and/or fill gap in knowledge. Communicate using the conventions and expectations of scientific writing or oral presentations by (1) evaluating grade-appropriate primary or secondary scientific literature, or (2) reporting the results of student research regarding nuclear fission and fusion. This could include but is not limited to students using computer simulations and virtual labs that compare nuclear fission and fusion. Students communicate the cause and effect relationships to explain why the ability to produce low energy nuclear reactions would be a scientific breakthrough using presentations, discussions, digital publications, and digital media.

In addition to *obtain information and communicate information*, students should be asked to ask questions; plan and carry out investigations; analyze and interpret data; use mathematics and computational thinking; engage in argument from evidence; construct explanations; develop and use models; and construct devices or define solutions.

Future Knowledge

H.P.3G- (Radioactive Decay; Applications of Radioactive Decay)

Essential Understanding

- Understand the processes of *nuclear fission*
 - Nuclear fission occurs when a heavy nucleus, such as the U-235 nucleus, splits into two or more parts, and a large amount of energy is released. The penetration of a large nucleus (such as U-235) by a neutron is one way to initiate a fission reaction. When an atom with a large nucleus undergoes fission, atoms that have smaller nuclei result. In the process smaller particles such as neutrons may be ejected from the splitting nucleus. If one or more ejected neutron strikes another U-235 nucleus, another fission reaction may occur. The continuation of this process is called a chain reaction. There must be a certain critical mass of fissionable material in close proximity for a chain reaction to occur.
 - Understand that fission is the type of nuclear reaction that occurs in nuclear power plants and other nuclear applications (weapons, submarines, etc.).
 - Understand that the mass of the products of a fission reaction is less than the mass of the reactants. This lost mass (m) is converted into energy (E). The equation $E = mc^2$ shows the relationship of this “lost mass” to the energy released. The conversion of mass to energy during a nuclear reaction involves far more energy than the amount of energy involved in a chemical reaction. (It is not essential for students to use this equation.)
- Understand the processes of *nuclear fusion*
 - Nuclear fusion occurs when light nuclei (such as hydrogen) fuse, or combine, to form a larger single nucleus (such as helium).
 - In fusion reactions the mass of the products is less than the mass of the reactants and the “lost mass” is converted to energy.
 - Fusion is the type of nuclear reaction that occurs on the sun (and other stars)
 - Forcing small nuclei to fuse requires huge amounts of energy; however, when fusion reactions occur on the sun, more energy is released than the amount of energy required to produce the reaction.
 - Using fusion for human applications is still in the developmental stage.
- Because the extreme temperatures required for nuclear fusion make these processes impractical for use, the ability to do so at low energy levels would be groundbreaking in the scientific community.

Science and Engineering Practices

S.1.A.8

Standard

H.C.2 The student will demonstrate an understanding of atomic structure and nuclear processes.

Conceptual Understanding

H.C.2B: In nuclear fusion, lighter nuclei combine to form more stable heavier nuclei and in nuclear fission heavier nuclei are split to form lighter nuclei. The energies in fission and fusion reactions exceed the energies in usual chemical reactions

Performance Indicator

H.C.2B.4 Use mathematical and computational thinking to explain the relationship between mass and energy in nuclear reactions ($E=mc^2$).

Assessment Guidance

The objective of this indicator is to *use mathematical and computational thinking* to explain the relationship between mass and energy in nuclear reactions ($E=mc^2$). Therefore the focus of assessment should be for

students to *construct, use and manipulate appropriate metric units, (2) express relationships between variables for models and investigations, and (3) use grade-level appropriate statistics to analyze data* to (1) identify the mass converted into energy, and (2) describe correlation between mass and energy of a nuclear reaction. This could include but is not limited to student's analyzing mass and energies data from nuclear reactions in reactors around them, comparing them with chemical reaction and writing a mathematical formula to describe the trend in the model.

In addition to *use mathematical and computational thinking* students should be asked to *ask questions; plan and carry out investigations; analyze and interpret data; engage in argument from evidence; construct explanations; develop and use models; obtain, evaluate and communicate information; and construct devices or design solution*

Future Knowledge

H.P.3G- (Radioactive Decay; Applications of Radioactive Decay)

Essential Knowledge

- Mass-Energy equivalency is the concept that the mass of a system is associated with the energy contained in the system.
 - The equivalence of mass and energy, E , is reliance of the speed of light, c , and is explained by Einstein's famous equation $E=mc^2$.
- Students should be able to identify that mass can be converted into a surplus of energy through the utilization of a nuclear reaction.

Science and Engineering Practices

S.1.A.5

Standard

H.C.3: The student will demonstrate an understanding of the structures and classification of chemical compounds.

Conceptual Understanding

H.C.3A: Elements are made up of only one kind of atom. With increasing atomic number, a predictable pattern for the addition of electrons exists. This pattern is the basis for the arrangement of elements in the periodic table. The chemical properties of an element are determined by an element's electron configuration. Elements can react to form chemical compounds/molecules that have unique properties determined by the kinds of atoms combined to make up the compound/molecule. Essentially, the ways in which electrons are involved in bonds determines whether ionic or covalent bonds are formed. Compounds have characteristic shapes that are determined by the type and number of bonds formed.

Performance Indicator

H.C.3A.1 Construct explanations for the formation of molecular compounds via sharing of electrons and for the formation of ionic compounds via transfer of electrons.

Assessment Guidance

The objective of this indicator is to *construct explanations* for the formation of molecular compounds via sharing of electrons and for the formation of ionic compounds via transfer of electrons.; therefore the focus of assessment should be for students to *construct explanations of phenomena using (1) primary or secondary*

scientific evidence and models, (2) conclusions from scientific investigations, (3) predictions based on observations and measurements, or (4) data communicated in graphs, tables, or diagrams to describe the process of ionic and covalent bonding. This could include but is not limited to students using the periodic table to compare the types of elements used in chemical bonding through the use of models and being asked to explain why ionic and covalent bonds are formed differently.

In addition to construct explanations, students should be asked to ask questions; plan and carry out investigations; engage in argument from evidence; obtain, evaluate and communicate information; develop and use models; and construct devices or design solutions.

Previous Knowledge

7.P.2A.4 (Ionic and Covalent Bonding, Chemical Formulas)

Essential Knowledge

- Bonding occurs in order to achieve chemical stability in low energy state.
- Atoms form bonds through the sharing or transfer of electrons to achieve noble gas configuration in their valence shells.
- Valence electrons are shared between nonmetals to form molecular/covalent bonds.
- Covalent bonds are common between two elements, each having one or more orbitals in the outer energy level containing only one electron.
- Ionic bonds are formed from the transfer of electrons. Metals lose electrons to form cations (positive ions). Nonmetals gain electrons for form anions (negative ions).

Science and Engineering Practices

S.1.A.6

Standard

H.C.3: The student will demonstrate an understanding of the structures and classification of chemical compounds.

Conceptual Understanding

H.C.3A: Elements are made up of only one kind of atom. With increasing atomic number, a predictable pattern for the addition of electrons exists. This pattern is the basis for the arrangement of elements in the periodic table. The chemical properties of an element are determined by an element's electron configuration. Elements can react to form chemical compounds/molecules that have unique properties determined by the kinds of atoms combined to make up the compound/molecule. Essentially, the ways in which electrons are involved in bonds determines whether ionic or covalent bonds are formed. Compounds have characteristic shapes that are determined by the type and number of bonds formed.

Performance Indicator

H.C.3A.2 Use the periodic table to write and interpret the formulas and names of chemical compounds (including binary ionic compounds, binary covalent compounds, and straight-chain alkanes up to six carbons).

Assessment Guidance

The objective of this indicator is to use the periodic table to write and *interpret* the formulas and names of chemical compounds (including binary ionic compounds, binary covalent compounds, and straight-chain alkanes up to six carbons). Therefore, the primary focus of assessment should be for students to *analyze and*

interpret data from informational texts and data collected from investigations using a range of methods (such as tabulation, graphing, or statistical analysis) to (1) reveal patterns and construct meaning, (2) support or refute hypotheses, explanations, claims, or designs, or (3) evaluate the strength of conclusions to write chemical formulas and names correctly. This could include but is not limited to students organizing data from the periodic table to correctly identify the type of compound by bond type and creating a set of rules for naming and writing formulas based on the pattern in names and formulas.

In addition to analyze and interpret data, students should be asked to ask questions; plan and carry out investigations; use mathematics and computational thinking; engage in argument from evidence; construct explanations; develop and use models; obtain, evaluate, and communicate information; and construct devices or define solutions.

Essential Knowledge

- Identify substances as molecular or ionic compounds by type of elements in the compound.
 - Ionic compounds contain metals and nonmetals, molecular compounds contain nonmetals.
- Binary Ionic compounds
 - Binary ionic compounds consist of metals and nonmetals. Binary ionic compounds composed of main group elements (groups 1,213-18) are named with metal element first, then nonmetal with the ending -ide. Example: MgCl_2 is named magnesium chloride.
 - The chemical formula for ionic compounds is the lowest ratio of ions that create a neutral compound. This means that the total charges of the cations and anions must be equal.
 - Different methods can be used to
- Binary molecular compounds
 - Greek prefixes are used to write chemical names. The subscript identifies the number atoms of that element in the compound. Example: H_2O , dihydrogen monoxide.
 - To write the names of binary molecular compounds, the subscript identifies the prefix used in the name. Mono- is generally not used for the first element of in a binary compound.
- Single Chain Alkanes
 - Single chain alkanes are named based on the number of carbons in the chain.

Extended Knowledge

Students should name and write formulas for binary and ternary acids as well as ionic compounds containing polyatomic ions. More advanced course preparation could include the use of roman numeral stock system for both naming compounds and formula writing and name straight chain alkenes and alkynes.

Science and Engineering Practices

S.1.A.4

Standard

H.C.3: The student will demonstrate an understanding of the structures and classification of chemical compounds.

Conceptual Understanding

H.C.3A: Elements are made up of only one kind of atom. With increasing atomic number, a predictable pattern for the addition of electrons exists. This pattern is the basis for the arrangement of elements in the periodic table. The chemical properties of an element are determined by an element's electron configuration. Elements can react to form chemical compounds/molecules that have unique properties determined by the kinds of atoms

combined to make up the compound/molecule. Essentially, the ways in which electrons are involved in bonds determines whether ionic or covalent bonds are formed. Compounds have characteristic shapes that are determined by the type and number of bonds formed.

Performance Indicator

H.C.3A.3 Analyze and interpret data to predict the type of bonding (ionic or covalent) and the shape of simple compounds by using the Lewis dot structures and oxidation numbers.

Assessment Guidance

The objective of this indicator is to *analyze and interpret data* to predict the type of bonding (ionic or covalent) and the shape of simple compounds by using the Lewis dot structures and oxidation numbers. Therefore, the primary focus of assessment should be for students to *analyze and interpret data from informational texts and data collected from investigations using a range of methods (such as tabulation, graphing, or statistical analysis) to (1) reveal patterns and construct meaning, (2) support or refute hypotheses, explanations, claims, or designs, or (3) evaluate the strength of conclusions* to identify a compound's type of bonding and molecular shape. This could include but is not limited to students using periodic tables, ball and stick models, and computer simulations to construct explanations of shapes associated with VSEPR theory.

In addition to *analyze and interpret data*, students should be asked to ask questions; plan and carry out investigations; use mathematics and computational thinking; engage in argument from evidence; construct explanations; develop and use models; obtain, evaluate, and communicate information; and construct devices or define solutions

Previous Knowledge

7.P.2A.4 (Ionic and Covalent Bonding, Chemical Formulas)

Essential Knowledge

Molecular compounds:

- The structure of molecules is the result of nonmetals sharing electrons in order to form stable outer-energy-level configuration (covalent bonds).
- Understand how single, double, and triple bonds are formed.
 - Understand how to draw correct Lewis structures, including the presence of nonbonding electron pairs, multiple bonds, polyatomic ions..
 - The “s” and “p” orbitals in the outer energy level of each atom provide four possible bonding sites (except for the elements which achieve He structure).
- Molecular geometries are limited to linear, bent (angular), trigonal planar, trigonal pyramidal, and tetrahedral.

- Explain the shape of simple molecules such as methane, water and carbon dioxide using VESPR







Steric No.	Basic Geometry 0 lone pair	1 lone pair	2 lone pairs
2	 Linear		
3	 Trigonal Planar	 Bent or Angular	
4	 Tetrahedral	 Trigonal Pyramid	 Bent or Angular

Image Source: Created by Dr. Regina Frey, Washington University in St. Louis (commons.wikimedia.org/wiki/File:VSEPR_geometries.PNG**)

Ionic compounds:

- Crystalline structure is the result of the ionic bonding of positive and negative ions, forming a neutral compound.
- The sum of the oxidation numbers in the formula of any neutral compound is zero.
- The oxidation number of a monatomic ion is equal to its charge.
- The oxidation number of the monoatomic ions formed from elements in the following groups of the periodic table:
 - Group 1, +1
 - Group 2, +2
 - Group 16, -2
 - Group 17, -1
- Some covalently bonded groups of atoms (similar in structure to molecules) act like single atoms in forming ions. These charged groups of covalently bonded atoms are called polyatomic ions and may be positive or negative.
- Polyatomic ions react exactly the same as monoatomic ions in chemical reactions.
- The use pf Lewis dot formulas is used to demonstrate ionic bonding by showing the transfer of electrons from metals to nonmetals.

Formation of Magnesium Oxide



Image Source: Created by Rachana Bhonsle, Colleton School District

Extended Knowledge

More advance course preparation could include applying VSEPR Theory to predict molecular geometries for complex polyatomic ions; structure of organic molecules (having more than one carbon atom); hybridization that occurs in single, double, triple bonds, and delocalized pi bonds; and drawing resonance structures of molecules and polyatomic ions. Assigning oxidation numbers to molecular compounds could also be addressed.

Science and Engineering Practices

S.1.A.4

Standard

H.C.3: The student will demonstrate an understanding of the structures and classification of chemical compounds.

Conceptual Understanding

H.C.3A: Elements are made up of only one kind of atom. With increasing atomic number, a predictable pattern for the addition of electrons exists. This pattern is the basis for the arrangement of elements in the periodic table. The chemical properties of an element are determined by an element's electron configuration. Elements can react to form chemical compounds/molecules that have unique properties determined by the kinds of atoms combined to make up the compound/molecule. Essentially, the ways in which electrons are involved in bonds determines whether ionic or covalent bonds are formed. Compounds have characteristic shapes that are determined by the type and number of bonds formed.

Performance Indicator

H.C.3A.4 Plan and conduct controlled scientific investigations to generate data on the properties of substances and analyze the data to infer the types of bonds (including ionic, polar covalent, and nonpolar covalent) in simple compounds.

Assessment Guidance

The objective of this indicator is to *plan and conduct* controlled scientific investigations to generate data on the properties of substances and analyze the data to infer the types of bonds (including ionic, polar covalent, and nonpolar covalent) in simple compounds. Therefore the focus of this assessment should be for students to *plan and conduct controlled scientific investigations to answer questions, test hypotheses, and develop explanations: (1) formulate scientific questions and testable hypotheses based on credible scientific information, (2) identify materials, procedures, and variables, (3) use appropriate laboratory equipment, technology, and techniques to collect qualitative and quantitative data, and (4) record and represent data in an appropriate form* to identify physical and chemical properties of ionic and covalently bonded compounds. This could include but is not limited to students designing, conducting, and presenting data from an experiment to answer the question "How do properties of ionic compounds differ from covalent compounds?", and then use the answer to that question to predict the type of bond within simple compounds.

In addition to *plan and conduct investigations*, students may be expected to *ask questions; analyze and interpret data; use mathematics and computational thinking; engage in argument from evidence; construct explanations; and develop and use models.*

Previous Knowledge

7.P.2A.4 (Ionic and Covalent Bonding, Chemical Formulas)

7.P.2B.1 (Physical and Chemical Properties)

7.P.2B.4 (Physical and Chemical Changes)

Essential Knowledge

- Types of bonds include ionic, polar covalent, and nonpolar covalent. Ionic and covalent bonds differ in properties include melting point, boiling point, conductivity in aqueous solution, and solubility in water and nonpolar solvents.
- Ionic bond and covalent bond are relative terms and that most bonds that we characterize as ionic or covalent actually have a character that lies somewhere between 100% ionic and 100% covalent.
- Bonds between active metals and active nonmetals are characterized by a high degree of ionic character because electron transferred is virtually complete
 - Ionic bonds are very strong, substances with ionic bonds usually have high melting and boiling points
- Bonds between identical nonmetals (diatomic compounds) are characterized by zero percent ionic character because electrons are shared equally.
- Bonds between other substances (such as the bond between oxygen and hydrogen) have an intermediate nature; the shared electrons are not shared equitably but spend more time with whichever atom is more electronegative.
 - The atom with the stronger attraction for electrons becomes partially negatively charged, and the atom with the lower electronegativity value becomes partially positively charged.
- Covalent bonds that do not share the electrons equally are called *polar covalent* bonds.
- Covalent bonds that do share the electrons equally are called *non-polar covalent* bonds.
- If the polar bonds in a molecule are all alike, the polarity of the molecule as a whole depends only on the arrangement in space of the bonds (water molecules are polar due to bent structure)
- Polar molecules are attracted to one another, but the attraction is not a chemical bond so it is broken easily. These substances usually have moderate melting and boiling points
- Polar molecules are attracted to one another and to ionic substances as well
- Electronegativity trends and electronegativity differences should also be used to help identify the bond type.
- “Like dissolves like” – polar and ionic compounds will dissolve best in polar solvents such as water, while nonpolar substances will dissolve best in nonpolar solvents, such as oil – and that aqueous solutions with ionic solutes are electrically conductive.

Extended Knowledge

More advance course preparation could include inferring the types of intermolecular attractions present (hydrogen bonding, dipole-dipole, and van der Waals forces.).

Science and Engineering Practices

S.1.A.3

Standard

H.C.3: The student will demonstrate an understanding of the structures and classification of chemical compounds.

Conceptual Understanding

H.C.3A: Elements are made up of only one kind of atom. With increasing atomic number, a predictable pattern for the addition of electrons exists. This pattern is the basis for the arrangement of elements in the periodic

table. The chemical properties of an element are determined by an element's electron configuration. Elements can react to form chemical compounds/molecules that have unique properties determined by the kinds of atoms combined to make up the compound/molecule. Essentially, the ways in which electrons are involved in bonds determines whether ionic or covalent bonds are formed. Compounds have characteristic shapes that are determined by the type and number of bonds formed.

Performance Indicator

H.C.3A.5 Develop and use models (such as Lewis dot structures, structural formulas, or ball-and-stick models) of simple hydrocarbons to exemplify structural isomerism.

Assessment Guidance

The objective of this indicator is for students to *develop and use models* (such as Lewis dot structures, structural formulas, or ball-and-stick models) of simple hydrocarbons to exemplify structural isomerism. Therefore, the primary focus of assessment should be for students to develop and use models to understand or represent phenomena, processes and relationships that include arrangement and structure of simple hydrocarbons. This could include but not limited to students designing simple diagrams, constructs, and computer generated models using teacher provided materials to illustrate isomerism in branch and chain hydrocarbons.


In addition to *develop and use models*, students should be asked to *ask questions; plan and carry out investigations; analyze and interpret data; use mathematics and computational thinking; engage in argument from evidence; construct explanations; obtain, evaluate, and communicate information; and construct devices or define solutions*

Previous Knowledge


This standard was not introduced in previous science courses.

Essential Knowledge

- Hydrocarbons are molecular compounds made of carbon and hydrogen. Hydrogens may be substituted with other groups of compounds.
- Describe hybridization of simple molecules like alkanes and alcohols up to 6 carbons.
 - The atomic orbitals fused to form new orbitals that in turn change geometry and properties.
- Understand how the capacity to form four covalent bonds results in several bonding possibilities for carbon, including
 - Single, double, and triple bonds
 - Ring structures
 - Covalent network
- Isomers are compounds with the same molecular formulas, with different molecular structures.
Examples of isomers: These following compounds have the chemical formula C_2H_6O .



Ethanol (Alcohol)



Dimethylether

images from: <http://upload.wikimedia.org/wikipedia/commons/1/1b/Isomeren.png>

- IUPAC nomenclature should be used to illustrate the structural differences among isomers.

Science and Engineering Practices

S.1.A.2

Standard

H.C.3: The student will demonstrate an understanding of the structures and classification of chemical compounds.

Conceptual Understanding

H.C.3A: Elements are made up of only one kind of atom. With increasing atomic number, a predictable pattern for the addition of electrons exists. This pattern is the basis for the arrangement of elements in the periodic table. The chemical properties of an element are determined by an element's electron configuration. Elements can react to form chemical compounds/molecules that have unique properties determined by the kinds of atoms combined to make up the compound/molecule. Essentially, the ways in which electrons are involved in bonds determines whether ionic or covalent bonds are formed. Compounds have characteristic shapes that are determined by the type and number of bonds formed.

Performance Indicator

H.C.3A.6 Construct explanations of how the basic structure of common natural and synthetic polymers is related to their bulk properties.

Assessment Guidance

The objective of this indicator is to *construct explanations* of how the basic structure of common natural and synthetic polymers is related to their bulk properties. Therefore the focus of assessment should be for students to *construct explanations of phenomena using (1) primary or secondary scientific evidence and models, (2) conclusions from scientific investigations, (3) predictions based on observations and measurements, or (4) data communicated in graphs, tables, or diagrams* to describe the structure of these molecules and *make claims* about the function of these molecules based upon this evidence. This could include but is not limited to students comparing diagrams of synthetic hydrocarbons, such as polyethylene or nylon, and naturally occurring polymers, such as proteins or carbohydrates, and being asked to explain, using evidence from the diagrams, why each polymer has different functions based on structure.

In addition to *construct explanations*, students should be asked to *ask questions; plan and carry out investigations; engage in argument from evidence; obtain, evaluate and communicate information; develop and use models; and construct devices or design solutions*.

Previous Knowledge

This standard was not introduced in previous science courses.

Essential Knowledge

- Polymers are compounds having a molecular structure that is composed of a large number of similar units, called monomers, are bonded together. The properties of a polymer depend on its molecular structure. Structural factors that can impact the properties of a polymer include cross-linking and hydrogen bonding.
- Explain the structure, schematics and function biological, natural, and synthetic polymers.

- Students should know the properties of common polymers, such as plastics. For biological polymers, students must be given a description of the polymer's functions in addition to structures or schematics.

Science and Engineering Practices

S.1.A.6

Standard

H.C.3: The student will demonstrate an understanding of the structures and classification of chemical compounds.

Conceptual Understanding

H.C.3A: Elements are made up of only one kind of atom. With increasing atomic number, a predictable pattern for the addition of electrons exists. This pattern is the basis for the arrangement of elements in the periodic table. The chemical properties of an element are determined by an element's electron configuration. Elements can react to form chemical compounds/molecules that have unique properties determined by the kinds of atoms combined to make up the compound/molecule. Essentially, the ways in which electrons are involved in bonds determines whether ionic or covalent bonds are formed. Compounds have characteristic shapes that are determined by the type and number of bonds formed.

Performance Indicator

H.C.3A.7 Analyze and interpret data to determine the empirical formula of a compound and the percent composition of a compound.

Assessment Guidance

The objective of this indicator is to *analyze and interpret data* to determine the empirical formula of a compound and the percent composition of a compound. Therefore, the primary focus of assessment should be for students to *analyze and interpret data from informational texts and data collected from investigations using a range of methods (such as tabulation, graphing, or statistical analysis) to (1) reveal patterns and construct meaning, (2) support or refute hypotheses, explanations, claims, or designs, or (3) evaluate the strength of conclusions* to identify the composition of a compound. This could include but is not limited to students organizing data collected experimentally or from data provided by the teacher to quantitatively identify empirical formula of compound.

In addition to *analyze and interpret data*, students should be asked to *ask questions; plan and carry out investigations; use mathematics and computational thinking; engage in argument from evidence; construct explanations; develop and use models; obtain, evaluate, and communicate information; and construct devices or define solutions*

Previous Knowledge

7.P.2B.2 (Physical and Chemical Properties)

Essential Knowledge

- The **empirical formula** is the simplest formula for a compound.
- A **molecular formula** is the same as or a multiple of the **empirical formula**, and is based on the actual number of atoms of each type in the compound.
- Students need to know how to calculate empirical formulas and molecular formulas.

- The **percent composition** of a component in a compound is the percent of the total mass of the compound that is due to that component.
- Students should be able to calculate the percent composition of a substance, given its formula or masses of each element in a sample.
- Students should be able to calculate empirical formula from percent composition or mass of each element in a compound or determine molecular formula from given empirical formula, given the compound's molar mass.

Extended Knowledge

Students could calculate percent composition and empirical formulas of hydrates.

Science and Engineering Practices

S.1.A.4

Standard

H.C.4 The student will demonstrate an understanding of the structure and behavior of the different states of matter.

Conceptual Understanding

H.C.4A Matter can exist as a solid, liquid, or gas, and in very high-energy states, as plasma. In general terms, for a given chemical, the particles making up the solid are at a lower energy state than the liquid phase, which is at a lower energy state than the gaseous phase. The changes from one state of matter into another are energy dependent. The behaviors of gases are dependent on the factors of pressure, volume, and temperature.

Performance Indicator

H.C.4A.1 Develop and use models to explain the arrangement and movement of the particles in solids, liquids, gases, and plasma as well as the relative strengths of their intermolecular forces.

Assessment Guidance

The objective of this indicator is for students to *develop and use models* to explain the arrangement and movement of the particles in solids, liquids, gases, and plasma as well as the relative strengths of their intermolecular forces. Therefore, the primary focus of assessment should be for students to *develop and use models* to understand or represent phenomena, processes and relationships that includes arrangement, movement of particles and intermolecular forces of matter. This could include but not limited to students designing simple diagrams, constructs, computer generated models or simulations using teacher provided materials to illustrate particle arrangement of solids, liquids and gases and communicate the relationship between the arrangement, movement and intermolecular force to the states of matter.

In addition to *develop and use models*, students should be asked to *ask questions; plan and carry out investigations; analyze and interpret data; use mathematics and computational thinking; engage in argument from evidence; construct explanations; obtain, evaluate, and communicate information; and construct devices or define solutions*

Previous Knowledge

3.P.2A (Properties of matter)

5.P.2A (Properties of matter)

7.P.2B.2 (Chemical and Physical Properties)

Essential Knowledge

- All matter is made up of atoms that are in constant random motion.
- The speed of the molecules along with the attraction due intermolecular forces causes substances to exist in different phases of matter.
- Matter exists in four different states of matter: Solid, liquid, gas, and plasma. Each state of matter has specific properties. Basic properties of each are below:

<u>Solids</u>	<ul style="list-style-type: none">• The particles of solids are closely packed together due to strong intermolecular forces holding them together• The particles of solids are constantly vibrating, but they do not readily slip past one another.• Because the particles vibrate in place and do not readily slip past one another, a solid has a definite shape.• Particles are usually arranged in a regular pattern.
<u>Liquids</u>	<ul style="list-style-type: none">• The particles of liquids are in contact with each other because intermolecular forces holding them together.• The particles of liquids have enough energy to partially overcome the intermolecular forces of the surrounding particles. Liquid particles can slip past surrounding particles and slide over one another. Because the particles slip past one another, a liquid does not have a definite shape and so takes the shape of the container.• Particles have no regular arrangement.
<u>Gases</u>	<ul style="list-style-type: none">• The particles of gases are not in contact with each other because they have enough energy to completely overcome the intermolecular forces between or among the particles.• The particles of gases are moving randomly, in straight lines until they bump into other particles or into the wall of the container. When a particle hits another particle or the container, it bounces off and continues to move.• Because gas particles move independently, the particles move throughout the entire container. The forces between the particles are not strong enough to prevent the particles from spreading to fill the container in which the gas is located.• Particles have no regular arrangement.
<u>Plasma</u>	<ul style="list-style-type: none">• Plasma is matter consisting of positively and negatively charged particles.• A substance is converted to the plasma phase at very high temperatures, such as those in stars (such as the sun). High temperature means that the particles of a substance are moving at high speeds. At these speeds, collisions between particles result in electrons being stripped from at• Plasma is the most common state of matter in the universe, found not only in stars, but also in lightning bolts, neon and fluorescent light tubes and auroras.

- Students should understand the relationship between intermolecular forces present in substances with high, low, and moderate melting and boiling points and how these forces affect a substance's state of matter.

Extended Knowledge

Explain how specific intermolecular forces affect a substance's melting and boiling points.

Science and Engineering Practices

S.1.A.4

Standard

H.C.4 The student will demonstrate an understanding of the structure and behavior of the different states of matter.

Conceptual Understanding

H.C.4A Matter can exist as a solid, liquid, or gas, and in very high-energy states, as plasma. In general terms, for a given chemical, the particles making up the solid are at a lower energy state than the liquid phase, which is at a lower energy state than the gaseous phase. The changes from one state of matter into another are energy dependent. The behaviors of gases are dependent on the factors of pressure, volume, and temperature.

Performance Indicator

H.C.4A.2 Analyze and interpret heating curve graphs to explain that changes from one state of matter to another are energy dependent.

Assessment Guidance

The objective of this indicator is for students *analyze and interpret* the heating curve graphs to explain the changes from one state of matter to another are energy dependent. Therefore, the primary focus of assessment should be *analyze and interpret data from informational texts and data collected from investigations using a range of methods (such as tabulation, graphing, or statistical analysis) to (1) reveal patterns and construct meaning, (2) support or refute hypotheses, explanations, claims, or designs, or (3) evaluate the strength of conclusions*. This could include but is not limited to students designing, conducting, and presenting data from an experiment to answer the question: how does variation in heat and energy affect the phase change?

In addition to *plan and conduct investigations*, students may be expected to *ask questions; analyze and interpret data; use mathematics and computational thinking; engage in argument from evidence; construct explanations; and develop and use models*.

Previous Knowledge

3.P.2A (Properties of Matter)

Essential Knowledge

- Understand that temperature is a term used to describe the average kinetic energy of the particles in a substance. The faster particles are moving the higher the temperature.
- Explain phase change in terms of The Kinetic Theory
 - Phase change is due to changing the movement (energy) of the particles.
 - The freezing or melting point is the temperature where a phase change occurs between a liquid and a solid. If heat is being added at this temperature bonds between particles will break and a solid will melt.

If heat is being taken away bonds will form between particles and a liquid will freeze at this temperature.

- The boiling point is the temperature where a liquid is changing to a gas throughout the liquid. This phase change can occur at any temperature. Boiling occurs when bubbles of the vapor are formed.
- When energy (such as heat) is added to a substance, the energy of the particles of the substance increases. Evidence of this would be that the temperature of the substance increases or a phase change.
- Heat is added to a solid the particles will move faster and the temperature will increase until the temperature of the solid reaches its melting point.
 - When the temperature of a solid is equal to the melting point and more heat is added to the substance the temperature will not change. The extra heat will be used to break some of the bonds between the molecules of the solid and change the phase to a liquid.




Image from: <http://chemwiki.ucdavis.edu/@api/deki/files/9987/HeatCool.gif?size=bestfit&width=530&height=364&revision=1>

Extended Knowledge

- Students could calculate energy absorbed or released using phase diagram.
- Analyze a phase diagram (temperature vs. pressure)
 - Explain triple point
 - Critical point is the point at which the
- Create and analyze a graph of temperature vs time which illustrates the heating or cooling of a substance over the range of phase change.

Explain the shape of the graph in terms of kinetic energy, potential energy, and heat transfer

Science and Engineering Practices

S.1.A.4

Standard

H.C.4 The student will demonstrate an understanding of the structure and behavior of the different states of matter.

Conceptual Understanding

H.C.4A Matter can exist as a solid, liquid, or gas, and in very high-energy states, as plasma. In general terms, for a given chemical, the particles making up the solid are at a lower energy state than the liquid phase, which is at a lower energy state than the gaseous phase. The changes from one state of matter into another are energy dependent. The behaviors of gases are dependent on the factors of pressure, volume, and temperature.

Performance Indicator

H.C.4A.3 Conduct controlled scientific investigations and use models to explain the behaviors of gases (including the proportional relationships among pressure, volume, and temperature).

Assessment Guidance

The objective of this indicator is to *plan and conduct investigations* to explain the behaviors of gases (including the proportional relationships among pressure, volume, and temperature).; therefore the focus of this assessment should be for students to *plan and conduct controlled scientific investigations to answer questions, test hypotheses, and develop explanations: (1) formulate scientific questions and testable hypotheses based on credible scientific information, (2) identify materials, procedures, and variables, (3) use appropriate laboratory equipment, technology, and techniques to collect qualitative and quantitative data, and (4) record and represent data in an appropriate form.* This could include but is not limited to students designing, conducting, and presenting data from an experiment to answer the question: how does variation in pressure, volume and temperature affect the behavior of gases?

In addition to *plan and conduct investigations*, students may be expected to *ask questions; analyze and interpret data; use mathematics and computational thinking; engage in argument from evidence; construct explanations; and develop and use models.*

Previous Knowledge

3.P.2A.5 (Properties of matter)

5.P.2B (Properties of Mixtures and Solutions)

7.P.2B.2 (Chemical and Physical Properties)

Essential Knowledge

- The Kinetic Molecular Theory is a model used to explain the relationship between temperature, pressure, and volume in a gas sample.
- Kelvin is the SI unit of temperature. Absolute zero is 0K, which is equal to -273.15°C .
- Pressure is the physical force exerted on or against an object by something in contact with it. Pressure can be measured in Pa, kPa, mm Hg, atm, or torr.
- Charles's law states the relationship between volume and temperature.
- Boyles's law states the relationship between pressure and volume.
- The combined gas law explains the relationship between volume, pressure, and temperature.
- The ideal gas law equation ($PV=nRT$) is the mathematical relationship among pressure, volume, temperature, or number of moles.
- The ideal gas constant, R has various forms and must be consistent with the units for the other variables.

Extended Knowledge

Students could relate number of particles and volume using Avogadro's principles and also relate the amount of gas present to its pressure, temperature, and volume using the ideal gas law. Students could also explain the difference between real gases and ideal gases. Solving problems mathematically with the laws above.

Standard

H.C.5 The student demonstrate an understanding of the nature and properties of various types of chemical solutions

Conceptual Understanding

H.C.5A Solutions can exist in any of three physical states: gas, liquid, or solid. Solution concentrations can be expressed by specifying the relative amounts of solute and solvent. The nature of the solute, the solvent, the temperature, and the pressure can affect solubility. Solutes can affect such solvent properties as freezing point, boiling point, and vapor pressure. Acids, bases, and salts have characteristic properties. Several definitions of acids and bases are used in chemistry.

Performance Indicator

H.C.5A.1 Obtain and communicate information to describe how a substance can dissolve in water by dissociation, dispersion, or ionization and how intermolecular forces affect solvation.

Assessment Guidance

The objective of this indicator is to *obtain and communicate information* to describe how a substance can dissolve in water by dissociation, dispersion, or ionization and how intermolecular forces affect solvation. Therefore, the primary focus of assessment should be for students to *obtain and evaluate scientific information to (1) answer questions, (2) explain or describe phenomena, (3) develop models, (4) evaluate hypotheses, explanations, claims, or designs or (5) identify and/or fill gaps in knowledge*. Communicate using the conventions and expectations of scientific writing or oral presentations by (1) evaluating grade-appropriate primary or secondary scientific literature, or (2) reporting the results of student experimental investigations regarding what factors affect solvation. This could include but is not limited to students using computer simulations and virtual labs to obtain evidence regarding how factors like dissociation, dispersion, or ionization affect solvation. Students could communicate the cause and effect relationships that affect solvation using presentations, discussions, digital publications, and digital media.

In addition to *obtain information and communicate information*, students should be asked to ask questions; plan and carry out investigations; analyze and interpret data; use mathematics and computational thinking; engage in argument from evidence; construct explanations; develop and use models; and construct devices or define solutions.

Previous Knowledge

5.P.2B (Properties of Mixtures and Solutions)

Essential Knowledge

- Solvation is the process of a solute molecule being surrounded by a solvent molecule, which in regard to this standard is water.
- During solvation the solute breaks down into individual components (expanding the solute) to overcome intermolecular forces in the solvent to make room for the solute (expanding the solvent).
- Interaction between the solvent and the solute to form the solution
- Substances can dissolve in water in three different ways: dissociation, dispersion, and ionization. Intermolecular forces affect how substances dissolve in water.

- Dissociation is the separation of ions of an ionic compound in solution.
- Dispersion occurs when particles are suspended throughout the solvent, but do not ionize.
- Ionization is the formation of ions in solution from a molecular solute when dissolved in water.

Extended Knowledge

Distinguish among strong electrolytes, weak electrolytes, and nonelectrolytes

Students could solve stoichiometry calculations based on reactions involving aqueous solutions, write net ionic equations, calculate the solubility of a compound from its solubility product constant, and also determine equilibrium concentrations of reactants and products.

Science and Engineering Practices

S.1.A.8

Standard

H.C.5 The student will demonstrate an understanding of the nature and properties of various types of chemical solutions.

Conceptual Understanding

H.C.5A Solutions can exist in any of three physical states: gas, liquid, or solid. Solution concentrations can be expressed by specifying the relative amounts of solute and solvent. The nature of the solute, the solvent, the temperature, and the pressure can affect solubility. Solutes can affect such solvent properties as freezing point, boiling point, and vapor pressure. Acids, bases, and salts have characteristic properties. Several definitions of acids and bases are used in chemistry.

Performance Indicator

H.C.5A.2 Analyze and interpret data to explain the effects of temperature and pressure on the solubility of solutes in a given amount of solvent.

Assessment Guidance

The objective of this indicator is to *analyze and interpret data* to explain the effects of temperature and pressure on the solubility of solutes in a given amount of solvent. Therefore, the primary focus of assessment should be for students to *analyze and interpret data from informational texts and data collected from investigations using a range of methods (such as tabulation, graphing, or statistical analysis) to (1) reveal patterns and construct meaning, (2) support or refute hypotheses, explanations, claims, or designs, or (3) evaluate the strength of conclusions* regarding how the temperature and pressure affect the solubility of solid, liquid, and gas solutes in solvents. This could include but is not limited to students organizing data collected from solubility experiments graphically and examining the graphs for relationships between temperature or pressure and solubility.

In addition to *analyze and interpret data*, students should be asked to *ask questions; plan and carry out investigations; use mathematics and computational thinking; engage in argument from evidence; construct explanations; develop and use models; obtain, evaluate, and communicate information; and construct devices or define solutions.*

Previous Knowledge

5.P.2B (Properties of Mixtures and Solutions)

Essential Knowledge

- The solubility of most solids in a liquid is directly proportional to temperature of that system; however the degree to which temperature affects the solubility of a solid varies with the structure and amount of the solid.
- The solubility of most gases in a liquid is inversely proportional to temperature of that system.
- The solubility of most gases and solids in a liquid is directly proportional to the pressure of that system.

Science and Engineering Practices

S.1.A.4

Standard

H.C.5 The student demonstrate an understanding of the nature and properties of various types of chemical solutions.

Conceptual Understanding

H.C.5A Solutions can exist in any of three physical states: gas, liquid, or solid. Solution concentrations can be expressed by specifying the relative amounts of solute and solvent. The nature of the solute, the solvent, the temperature, and the pressure can affect solubility. Solutes can affect such solvent properties as freezing point, boiling point, and vapor pressure. Acids, bases, and salts have characteristic properties. Several definitions of acids and bases are used in chemistry.

Performance Indicator

H.C.5A.3 Use mathematical representations to analyze the concentrations of unknown solutions in terms of molarity and percent by mass.

Assessment Guidance

The objective of this indicator is to *use mathematical representations* to analyze the concentrations of unknown solutions in terms of molarity and percent by mass. Therefore the focus of assessment should be for students to *construct use and manipulate appropriate metric units, (2) express relationships between variables for models and investigations, and (3) use grade-level appropriate statistics to analyze data* to analyze the concentrations of unknown solutions in terms of molarity and percent by mass. This could include but is not limited to students use experimentally acquired data to calculate and express relationships among concentration, mass, and volume in terms of molarity and percent by mass.

In addition to *use mathematical and computational thinking* students should be asked to *ask questions; plan and carry out investigations; analyze and interpret data; engage in argument from evidence; construct explanations; develop and use models; obtain, evaluate and communicate information; and construct devices or design solutions.*

Previous Knowledge

5.P.2B (Properties of Mixtures and Solutions)

Essential Knowledge

- The concentration of solutions can be characterized in terms of molarity (M) and percent by mass.
- Molarity (M) of a solution is number moles of solute per volume of solution (moles/liter).
- Percent by mass is another way to calculate the concentration of a solution. This is calculating by mass of solute per mass of solution x 100%.

Extended Knowledge

Advanced course preparation could include having students describe concentration using different units, determine the concentration of solutions, calculate preparation protocols of molar solutions, and calculate methods for diluting solutions. They could also calculate molality, mole fractions, and percent by volume.

Science and Engineering Practices

S.1.A.5

Standard

H.C.5 The student demonstrate an understanding of the nature and properties of various types of chemical solutions

Conceptual Understanding

H.C.5A Solutions can exist in any of three physical states: gas, liquid, or solid. Solution concentrations can be expressed by specifying the relative amounts of solute and solvent. The nature of the solute, the solvent, the temperature, and the pressure can affect solubility. Solutes can affect such solvent properties as freezing point, boiling point, and vapor pressure. Acids, bases, and salts have characteristic properties. Several definitions of acids and bases are used in chemistry.

Performance Indicator

H.C.5A.4. Analyze and interpret data to describe the properties of acids, bases, and salts.

Assessment Guidance

The objective of this indicator is to *analyze and interpret data* to describe the properties of acids, bases, and salts. Therefore, the primary focus of assessment should be for students to *analyze and interpret data from informational texts and data collected from investigations using a range of methods (such as tabulation, graphing, or statistical analysis) to (1) reveal patterns and construct meaning, (2) support or refute hypotheses, explanations, claims, or designs, or (3) evaluate the strength of conclusions* to identify physical and chemical properties of acids, bases, and salts. This could include but is not limited to students organizing data collected from texts, laboratory experiments, or teacher given data to identify common household substances such as vinegar and ammonia as acids or bases.

In addition to *analyze and interpret data*, students should be asked to *ask questions; plan and carry out investigations; use mathematics and computational thinking; engage in argument from evidence; construct explanations; develop and use models; obtain, evaluate, and communicate information; and construct devices or define solutions.*

Previous Knowledge

7P.2B.3 (Physical and chemical properties of acids and bases)

Essential Knowledge

ACIDS

- The Arrhenius definition of an acid is a substance that ionizes or releases hydrogen ions (H^+) when it is mixed with water.
- The reaction of these acids with metals that are chemically active produce hydrogen gas
- The effect of acids on indicators

- Neutralization of bases with acids
- Water solutions of acids taste sour
- Have a pH less than 7

BASES

The Arrhenius Definition of a base is a substance that ionizes or releases hydroxide ions (OH^-) when it is mixed with water

- Bases are electrolytes
- The effect of bases on indicators
- Neutralization of acids with bases
- Water solutions of bases taste bitter and feel slippery
- Have a pH greater than 7

Salts are defined as ionic compounds containing a positive ion other than the hydrogen ion and a negative ion other than the hydroxide ion.

They have high melting points and are good conductors of electric current either when molten or when dissolved in water.

Extended Knowledge

Students may also differentiate between strong/weak bases and acids, explain the relationship between the strengths of acids and bases and the values of their ionization constants, compare the strength of a weak acid with the strength of its conjugate base, calculate pH and pOH from hydrogen and hydroxide concentrations, or also explain the relationship of hydrogen concentration and hydroxide concentration in K_W , K_{OH} , and K_H in relation to strong and weak acids and bases.

Science and Engineering Practices

S.1.A.4

Standard

H.C.6 The student will demonstrate an understanding of the types, the causes, and the effects of chemical reactions.

Conceptual Understanding

H.C.6A A chemical reaction occurs when elements and /or compounds interact, resulting in a rearrangement of the atoms of these elements and/or compounds to produce substance with unique properties. Mass is conserved in chemical reactions. Reactions tend to proceed in a direction that favors lower energies. Chemical reaction can be categorized using knowledge about the reactant to predict products. Chemical reactions are quantifiable. When stress is applied to a chemical system that is in equilibrium, the system will shift in a direction that reduces the stress.

Performance Indicator

H.C.6A.1 Develop and use models to predict the products of chemical reactions (1) based upon movements of ions; (2) based upon movements of protons; and (3) based upon movements of electrons.

Assessment Guidance

The objective of this indicator is for students to *develop and use models* to predict the products of chemical reactions (1) based upon movements of ions; (2) based upon movements of protons; and (3) based upon movements of electrons. Therefore the focus of this assessment should be for students to *plan and conduct*

controlled scientific investigations to answer questions, test hypotheses, and develop explanations: (1) formulate scientific questions and testable hypotheses based on credible scientific information, (2) identify materials, procedures, and variables, (3) use appropriate laboratory equipment, technology, and techniques to collect qualitative and quantitative data, and (4) record and represent data in an appropriate form to identify the type of reaction and predict the product. This could include but not limited to students designing models using teacher provided materials to illustrate and give analogies for types of reactions and citing examples of oxidation and reductions.

In addition to develop and use models, students should be asked to ask questions; plan and carry out investigations; analyze and interpret data; use mathematics and computational thinking; engage in argument from evidence; construct explanations; obtain, evaluate, and communicate information; and construct devices or define solutions

Previous Knowledge

7.P.2B. (Physical and chemical properties)

Essential Knowledge

Given a set of reactants for each type of reaction, students must be able to predict the products of the reaction.

Reactions based upon movements of ions:

- For the purposes of this indicator, chemical reactions that involve the movement of ionic particles are limited to those that produce an insoluble solid from two aqueous solutions.
- To model these reactions, students should first conceptualize the solutes of aqueous solutions as dissociated ions. The ions that form insoluble solids come together through electrostatic attraction and precipitate. Models should progress from particle drawings to traditional chemical equations that include phase notation.
- Example: $\text{MgSO}_4(\text{aq}) + \text{Na}_2\text{CO}_3(\text{aq}) \rightarrow \text{MgCO}_3(\text{s}) + \text{Na}_2\text{SO}_4(\text{aq})$
- These reactions are usually referred as double replacement, metathesis, and precipitation reactions. Memorization of solubility rules is not assessed.

Reactions based upon movements of protons

- For the purposes of this indicator, chemical reactions based upon the movement of protons are acid-base neutralization reactions; the reactions covered in this section are limited to those between Bronsted-Lowry acids and bases.
- To model these reactions, students should conceptualize acids as proton donors and bases as proton acceptors and then progress to predicting products using traditional chemical reactions. Student models should demonstrate understanding of conjugate acid-base pairs.
- Example: $\text{HCl}(\text{aq}) + \text{KOH}(\text{aq}) \rightarrow \text{KCl}(\text{aq}) + \text{H}_2\text{O}(\text{l})$
- These reactions are usually referred to as neutralization and metathesis reactions.

Reactions based upon movements of electrons:

- For the purposes of this indicator, chemical reactions based upon movements of electrons are limited to simple oxidation-reduction reactions in which only one element is oxidized and another is reduced.
- To model these reactions, students should first conceptualize one or more electrons moving from one species to another to form new products. Models should progress from particle drawings to traditional chemical equations that include phase notation.

- These oxidation-reduction reactions are usually referred to in textbooks as synthesis, combination, decomposition, and single replacement reactions.
 - Predicting the products of decomposition reactions should be limited to simple binary compounds decomposing to their elements.
- “Oxidation” is defined as the process of losing electrons, “reduction” is defined as process of gaining electrons
 - A substance that is “oxidized” has lost electrons
 - A substance that is “reduced” has gained electrons
 - When a substance is oxidized, it “gives” electrons to another substance, causing that substance to gain electrons or be reduced.
 - A substance that causes another substance to be reduced is called a “reducing agent”
 - Any substance that is oxidized is a reducing agent
 - When a substance is reduced, it “takes” electrons from another substance, causing that substance to lose electrons or be oxidized.
 - A substance that causes another substance to be oxidized is called an “oxidizing agent”
 - Any substance that is reduced is called an oxidizing agent




Image Source: 2005 Science Standards Support Document

- Examples:
 - $\text{Mg(s)} + \text{Br}_2\text{(l)} \rightarrow \text{MgBr}_2\text{(s)}$
 - $\text{NaCl(s)} \rightarrow \text{Na(s)} + \text{Cl}_2\text{(g)}$
 - $\text{Zn(s)} + \text{CuSO}_4\text{(aq)} \rightarrow \text{ZnSO}_4\text{(aq)} + \text{Cu(s)}$

Extended Knowledge

Students may construct and use net ionic equations to model reactions involving the production of carbonic acid which subsequently decomposes to water and carbon dioxide. Students may also obtain, evaluate, and communicate information regarding Lewis acid-base theory and hydrolysis. Students may also develop and use models to identify oxidizing and reducing agents and illustrate half-reactions.

Science and Engineering Practices

S.1.A.2

Standard

H.C.6 The student will demonstrate an understanding of the types, the causes, and the effects of chemical reactions.

Conceptual Understanding

H.C.6AA chemical reaction occurs when elements and /or compounds interact, resulting in a rearrangement of the atoms of these elements and/or compounds to produce substance with unique properties. Mass is conserved in chemical reactions. Reactions tend to proceed in a direction that favors lower energies. Chemical reaction can be categorized using knowledge about the reactant to predict products. Chemical reactions are quantifiable. When stress is applied to a chemical system that is in equilibrium, the system will shift in a direction that reduces the stress

Performance Indicator

H.C.6A.2 Use Le Châtelier's principle to predict shifts in chemical equilibria resulting from changes in concentration, pressure, and temperature.

Assessment Guidance

The objective of this indicator is to *construct explanations* based on La Châtelier's principle to predict shifts in chemical equilibria resulting from changes in concentration, pressure, and temperature.; therefore the focus of assessment should be for students *to construct explanations of phenomena using (1) primary or secondary scientific evidence and models, (2) conclusions from scientific investigations, (3) predictions based on observations and measurements, or (4) data communicated in graphs, tables, or diagrams* to observe equilibrium as it applies to solubility, phase change and make claims about the influence of pressure , temperature and concentration based upon this evidence. This could include but is not limited to students identifying cause (change in pressure, temperature and concentration) and effect on equilibrium.

In addition to *construct explanations*, students should be asked to *ask questions; plan and carry out investigations; engage in argument from evidence; obtain, evaluate and communicate information; develop and use models; and construct devices or design solutions.*

Previous Knowledge

7P.2B.5 (Law of Conservation of Matter)

Essential Knowledge

- Equilibrium is a dynamic condition in which two opposing changes occur at equal rates in a closed system.
- LeChatelier's principle states that if a system is at equilibrium and is subject to stress, the equilibrium is shifted in the direction that terms to relieve stress.
- Showcase and apply La Châtelier's Principle in reference to the following stresses
 - A change in concentration-adding additional reactant to a system will shift the equilibrium to the right, towards the side of the products. Reducing the concentration of any product will also shift equilibrium to the right.
 - A change in temperature has to do with the heat of reaction.
 - In exothermic reactions, increases in temperature will shift equilibrium to the left
 - In endothermic reactions, increases in temperature will shift equilibrium to the right
 - A change in pressure or volume will result in an attempt to restore equilibrium by creating more or less moles of gas.

Extended Knowledge

Students could define and manipulate K_{sp} in order to predict solubility. Changes in equilibrium due to solubility, phase changes and reaction completion

Standard

H.C.6 The student will demonstrate an understanding of the types, the causes, and the effects of chemical reactions.

Conceptual Understanding

H.C.6A A chemical reaction occurs when elements and /or compounds interact, resulting in a rearrangement of the atoms of these elements and/or compounds to produce substance with unique properties. Mass is conserved in chemical reactions. Reactions tend to proceed in a direction that favors lower energies. Chemical reaction can be categorized using knowledge about the reactant to predict products. Chemical reactions are quantifiable. When stress is applied to a chemical system that is in equilibrium, the system will shift in a direction that reduces the stress

Performance Indicator

H.C.6A.3 Plan and conduct controlled scientific investigations to produce mathematical evidence that mass is conserved in chemical reactions

Assessment Guidance

The objective of this indicator is to *plan and conduct controlled scientific investigations* to produce mathematical evidence that mass is conserved in chemical reactions. Therefore the focus of this assessment should be for students to *plan and conduct controlled scientific investigations to answer questions, test hypotheses, and develop explanations: (1) formulate scientific questions and testable hypotheses based on credible scientific information, (2) identify materials, procedures, and variables, (3) use appropriate laboratory equipment, technology, and techniques to collect qualitative and quantitative data, and (4) record and represent data in an appropriate form* to gather evidence of mass, moles, before and after the reaction. This could include but is not limited to students designing, conducting, and presenting data from an experiment to perform stoichiometric calculations, calculate the number of molecules, formula units, or ions in a given molar amount of a chemical compound.

In addition to *plan and conduct investigations*, students may be expected to *ask questions; analyze and interpret data; use mathematics and computational thinking; engage in argument from evidence; construct explanations; and develop and use models.*

Previous Knowledge

7.P.2B.4 (Physical and Chemical Changes)

7.P.2B.5 – (Law of Conservation of Matter)

Essential Knowledge

- The Law of Conservation of Mass says that mass can neither be created or destroyed, but can be changed in form.
- The total mass of the material(s) before the reaction is the same as the total mass of material(s) after the reaction.
- In a chemical reaction, the number of atoms of each kind of element are the same on each side of an equation.

- Chemical reactions do not create or destroy atoms, only create different configurations of the same atoms
- A balanced chemical reaction illustrates the law of conservation of mass.

Science and Engineering Practices

S.1.A.3

Standard

H.C.6 The student will demonstrate an understanding of the types, the causes, and the effects of chemical reactions.

Conceptual Understanding

H.C.6A A chemical reaction occurs when elements and /or compounds interact, resulting in a rearrangement of the atoms of these elements and/or compounds to produce substance with unique properties. Mass is conserved in chemical reactions. Reactions tend to proceed in a direction that favors lower energies. Chemical reaction can be categorized using knowledge about the reactant to predict products. Chemical reactions are quantifiable. When stress is applied to a chemical system that is in equilibrium, the system will shift in a direction that reduces the stress

Performance Indicator

H.C.6A.4 Use mathematical and computational thinking to predict the amounts of reactants required and products produced in specific chemical reactions.

Assessment Guidance

The objective of this indicator is to *use mathematical and computational thinking* to predict the amounts of reactants required and products produced in specific chemical reactions. Therefore the focus of assessment should be for students to construct, use and manipulate appropriate metric units, (2) express relationships between variables for models and investigations, and (3) use grade-level appropriate statistics to analyze data to calculate the limiting and excess reactants in chemical reaction. This could include but is not limited to students use experimentally acquired data, to identify the limiting reactant in a chemical reaction.

In addition to *use mathematical and computational thinking* students should be asked to *ask questions; plan and carry out investigations; analyze and interpret data; engage in argument from evidence; construct explanations; develop and use models; obtain, evaluate and communicate information; and construct devices or design solutions.*

Previous Knowledge

7.P.2B.4 (Physical and Chemical Changes)

7.P.2B.5 – (Law of Conservation of Matter)

Essential Knowledge

- The quantity 6.02×10^{23} of any object is defined as a “mole” of the object.
- The atomic mass of a substance, as found on the periodic table, represents the average mass (in atomic mass units) of the naturally occurring isotopes of the element.
- The molar mass of a pure substance is the mass (in grams) of one mole of the substance (the molar mass of carbon atoms is the mass (in grams) of one mole of carbon atoms).

- The molar mass of an element (measured in grams) is numerically equal to the atomic mass of the element (measured in atomic mass units)
- The formula mass is the term used for ionic substances. It is the sum of the atomic masses of all of the elements contained in one formula unit of an ionic compound.
- The molecular mass is the term used for molecular compounds. It is the sum of the atomic masses of all of the elements in the molecular formula of the substance.
- Molar mass, formula mass, or molecular mass can be used to convert between mass in grams and amount in moles of a chemical compound.
- Reaction stoichiometry is used to identify the amount of reactants and products in moles or grams needed or created in a chemical reaction.
- Limiting reactant is the reactant that limits the amount of product that can be formed.

Extended Knowledge

Calculations and understanding of percent yield.

Science and Engineering Practices

S.1.A.5

Standard

H.C.7 -The student will demonstrate an understanding of the conservation of energy and energy transfer.

Conceptual Understanding

H.C.7A The first law of thermodynamics states that the amount of energy in the universe is constant. An energy diagram is used to represent changes in the energy of the reactants and products in a chemical reaction.

Enthalpy refers to the heat content that is present in an atom, ion, or compound. While some chemical reactions occur spontaneously, other reactions may require that activation energy be lowered in order for the reaction to occur.

Performance Indicator

H.C.7A.1 Analyze and interpret data from energy diagrams and investigations to support claims that the amount of energy released or absorbed during a chemical reaction depends on changes in total bond energy.

Assessment Guidance

The objective of this indicator is for students to *analyze and interpret data* from energy diagrams and investigations to support claims that the amount of energy released or absorbed during a chemical reaction depends on changes in total bond energy. Therefore, the primary focus of assessment should be *analyze and interpret data from informational texts and data collected from investigations using a range of methods (such as tabulation, graphing, or statistical analysis) to (1) reveal patterns and construct meaning, (2) support or refute hypotheses, explanations, claims, or designs, or (3) evaluate the strength of conclusions* to exemplify how energy is conserved during a chemical reaction. This could include, but is not limited to, using student generated laboratory data or teacher provided data to support that energy is conserved in a chemical reaction.

In addition to *analyze and interpret data*, students should be asked to *ask questions; plan and carry out investigations; use mathematics and computational thinking; engage in argument from evidence; construct explanations; develop and use models; obtain, evaluate, and communicate information; and construct devices or define solutions.*

Previous Knowledge

3.P.2A. (Properties of Matter)

6.P.3A (Conservation of Energy)

Essential Knowledge

- The Law of Conservation of Energy states that the total energy of a system does not change.
 - For a chemical system, any energy transformations depend on changes in total bond energy.
- Enthalpy* is a measure of the total energy of a system. The total enthalpy of a system cannot be measured directly, so the enthalpy *change* of a system is measured instead.
- The enthalpy change of a system can be conceptualized by $\Delta H = H_f - H_i$, where
 - ΔH is the change in enthalpy of the system;
 - H_f is the final enthalpy of the system; and
 - H_i is the initial enthalpy of the system.
 - Each of these values is measured in Joules (J) or kilojoules (kJ) per mole of reactant.
- The heat of reaction, or ΔH_{rxn} , is the change in the enthalpy of a chemical reaction that occurs at a constant pressure.
- If the chemical reaction is exothermic, then the value of ΔH_{rxn} is negative; endothermic reactions have a positive ΔH_{rxn} value.
- Energy diagrams are a useful means of visualizing the energy changes involved in chemical reactions.
 - The example below shows the energy changes typical of an exothermic and endothermic reaction.
 - Students should be able to identify the potential energy (PE) of the reactants, the PE of the products, the activation energy (E_{act}), and the heat of reaction (ΔH).




Image Source: images.tutorvista.com/cms/images/101/exothermic-and-endothermic-reaction.png

- Thermochemical equations include the word “energy” or the actual energy change, in kilojoules, in the chemical equation.
 - For endothermic reactions, the energy appears as a reactant, showing the absorption of energy from the surroundings.
 - For exothermic reactions, the energy appears as a product, showing a production or release of energy to the surroundings.

- For example, the decomposition of water is shown as $2\text{H}_2\text{O} + \text{energy} \rightarrow 2\text{H}_2 + \text{O}_2$, while the formation of water from its elements would be shown as $2\text{H}_2 + \text{O}_2 \rightarrow 2\text{H}_2\text{O} + \text{energy}$.
- Every day and novel examples of endothermic and exothermic reactions include:
 - Everyday examples of endothermic reactions include baking bread, cooking an egg, and photosynthesis.
 - Examples of exothermic reactions in everyday life include burning wood, rusting, and cellular respiration.
 - Students should also be able to identify novel examples that clearly release or absorb energy, based upon common everyday experiences.

Extended Knowledge

Students could interpret energy diagrams with respect to the reverse reaction, calculate molar enthalpies of reaction using Hess' Law and/or tables of bond energies, explain heat transfer through calorimetric calculations, and explain how specific heat of a substance affects how heat is transferred from one substance to another.

Science and Engineering Practices

S.1.A.4

Standard

H.C.7-The student will demonstrate an understanding of the conservation of energy and energy transfer

Conceptual Understanding

H.C.7A The first law of thermodynamics states that the amount of energy in the universe is constant. An energy diagram is used to represent changes in the energy of the reactants and products in a chemical reaction. Enthalpy refers to the heat content that is present in an atom, ion, or compound. While some chemical reactions occur spontaneously, other reactions may require that activation energy be lowered in order for the reaction to occur.


Performance Indicator

H.C.7A.2 Use mathematical and computational thinking to write thermochemical equations and draw energy diagrams for the combustion of common hydrocarbon fuels and carbohydrates, given molar enthalpies of combustion.

Assessment Guidance

The objective of this indicator is to *use mathematical and computational thinking* to write thermochemical equations and draw energy diagrams for the combustion of common hydrocarbon fuels and carbohydrates, given molar enthalpies of combustion. Therefore the focus of assessment should be for students to *construct use and manipulate appropriate metric units, (2) express relationships between variables for models and investigations, and (3) use grade-level appropriate statistics to analyze data* to analyze amount of energy given off during the combustion of different fuels. This could include but is not limited to students using teacher provided data to calculate amount of energy given off during common combustion reactions to draw energy diagrams.

In addition to *use mathematical and computational thinking* students should be asked to *ask questions; plan and carry out investigations; analyze and interpret data; engage in argument from evidence; construct explanations; develop and use models; obtain, evaluate and communicate information; and construct devices or design solutions.*



Previous Knowledge
Students should be familiar with the mole concept, since this performance indicator deals with molar enthalpies of combustion.
6.P.3A
(Conservation of Energy)
7.P.2B.1
(Physical and Chemical

Properties)
7.P.2B.5 (Chemical Changes)

Essential Knowledge

- Combustion reactions are generally exothermic.
- Enthalpy of combustion ($\Delta H^\circ_{\text{comb}}$) is the change that occurs during the complete combustion of one mole of a substance.
- Enthalpy of combustion is defined by one mole of reactant, instead of reactants like enthalpy of formation.
- Examples of some thermal chemical equations for combustion are below:
 - $\text{CH}_4 + 2\text{O}_2 \rightarrow \text{CO}_2 + 2\text{H}_2\text{O} + 889 \text{ kJ}$
 - $\text{C}_2\text{H}_5\text{OH} + 3\text{O}_2 \rightarrow 2\text{CO}_2 + 3\text{H}_2\text{O} + 1300 \text{ kJ}$
 - $\text{C}_3\text{H}_8 + 5\text{O}_2 \rightarrow 3\text{CO}_2 + 4\text{H}_2\text{O} + 2220 \text{ kJ}$
- Energy diagrams for combustion like the example below showing the change in energy should be made by students.

Extended Knowledge

Students can use mathematical and computational thinking to write equations that can be balanced with multiple moles of fuel and/or fractional moles of oxygen.

Science and Engineering Practices

S.1.A.6

Standard

H.C.7-The student will demonstrate an understanding of the conservation of energy and energy transfer

Conceptual Understanding

H.C.7A The first law of thermodynamics states that the amount of energy in the universe is constant. An energy diagram is used to represent changes in the energy of the reactants and products in a chemical reaction.

Enthalpy refers to the heat content that is present in an atom, ion, or compound. While some chemical reactions occur spontaneously, other reactions may require that activation energy be lowered in order for the reaction to occur.

Performance Indicator

H.C.7A.3 Plan and conduct controlled scientific investigations to determine the effects of temperature, surface area, stirring, concentration of reactants, and the presence of various catalysts on the rate of chemical reactions.

Assessment Guidance

The objective of this indicator is to *plan and conduct controlled scientific investigations* to determine the effects of temperature, surface area, stirring, concentration of reactants, and the presence of various catalysts on the rate of chemical reactions. Therefore the focus of this assessment should be for students to *plan and conduct controlled scientific investigations to answer questions, test hypotheses, and develop explanations: (1) formulate scientific*

questions and testable hypotheses based on credible scientific information, (2)

identify materials, procedures, and variables, (3) use appropriate laboratory equipment, technology, and techniques to collect qualitative and quantitative

data, and (4) record and represent data in an appropriate form identify factors that affect the rate of chemical reactions. This could include but is not limited to students designing, conducting, and presenting data from an experiment to answer the question: How do the factors listed affect the rate of chemical reactions?

In addition to *plan and conduct investigations*, students may be expected to *ask questions; analyze and interpret data; use mathematics and computational thinking; engage in argument from evidence; construct explanations; and develop and use models.*

Previous Knowledge

5.P.2B (Mixtures and Solutions)

7.P.2B.4 (Chemical and Physical Changes)

Essential Knowledge

- For many reactions, increases in temperature will increase reaction rates due to collisions between molecules having greater frequency and energy.
- As the surface area of a solid reactant increases, the reaction rate will increase, due to more of the reactant being exposed to other reactants, causing more collisions.
- Stirring will keep the reactant particles in motion, increasing the frequency of collisions.
- As the concentration of a reactant increases, the frequency of collisions increases, due to the presence of more reactant molecules.
- The presence of a catalyst increases the rate of a reaction by reducing the activation energy required for the reaction to occur.

Extended Knowledge

Students could research and explain heterogeneous catalysts versus homogeneous catalysts.

Science and Engineering Practices

S.1.A.3

Standard

H.C.7-The student will demonstrate an understanding of the conservation of energy and energy transfer

Conceptual Understanding

H.C.7A The first law of thermodynamics states that the amount of energy in the universe is constant. An energy diagram is used to represent changes in the energy of the reactants and products in a chemical reaction.

Enthalpy refers to the heat content that is present in an atom, ion, or compound. While some chemical reactions occur spontaneously, other reactions may require that activation energy be lowered in order for the reaction to occur.

Performance Indicator

H.C.7A.4 Develop and use models to explain the relationships between collision frequency, the energy of collisions, the orientation of molecules, activation energy, and the rates of chemical reactions.

Assessment Guidance

The purpose of this indicator is for students to *develop and use models* to explain the relationships between collision frequency, the energy of collisions, the orientation of molecules, activation energy, and the rates of chemical reactions. Therefore, the primary focus of assessment should be for students to *develop and use models to understand or represent phenomena, processes and relationship* between collision energy and rates of reaction. This could include but not limited to students designing models using teacher provided data to create energy diagrams to illustrate and explain how catalysts decrease the amount of energy needed for a chemical reaction to occur.

In addition to *develop and use models*, students should be asked to *ask questions; plan and carry out investigations; analyze and interpret data; use mathematics and computational thinking; engage in argument from evidence; construct explanations; obtain, evaluate, and communicate information; and construct devices or define solutions*

Previous Knowledge

This concept was not introduced in previous grades.

Essential Knowledge

- In order for a reaction to proceed, the reactant particles must collide. A chemical reaction only occurs if particles are oriented favorably. If the particles are not oriented correctly, a reaction will not occur.
- These collisions must have sufficient energy to break bonds of the reacting substances. The minimum amount of energy for a reaction to proceed is called the *activation energy*.
- A catalyst is a substance that increases the speed of a reaction but, is not used chemically in the reaction.
- Catalysts allow for a different activation pathway with lower activation energy for a reaction to occur faster.
- Energy diagrams should be used to differentiate between reaction pathways with and without a catalyst.




Image Source: Created by Brazosport College (commons.wikimedia.org/wiki/File:Exothermic_Reaction_without_Catalyst.png; commons.wikimedia.org/wiki/File:Exothermic_Reaction_with_Catalyst.png)

Science and Engineering Practices

S.1.A.2

